

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Reference number: 100013400 Revision date: 5/9/2023 Supersedes version of: 2/1/2023 Version: 19.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Substance Name : R-134a

Chemical name : 1,1,1,2-Tetrafluoroethane

EC-No. : 212-377-0 CAS-No. : 811-97-2 REACH registration No. 01-2119459374-33

Product code 100013400

: HFC 134a / NovaSpray HFC 134a / Novexpans HFC 134a Synonyms

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Refrigerant

> Aerosol jet Blowing agent

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Dehon Service SAS 26 Avenue du Petit Parc 94683 VINCENNES Cedex

France

T 01 43 98 75 00 - F 01 43 98 21 51 ContactFDS@climalife.dehon.com

#### Other

Climalife Hongrie Kft Villányi út 47 1118 Budaörs Hungary

T (36) 23 431 660 - F (36) 23 431 661 ContactFDS@climalife.dehon.com

Climalife Supplied by Inventec Performance Chemicals Italia SRL

Via del Lavoro, 10/G 20874 Busnago MB

T +39 39-5973480 - F +39 39-5973490 ContactFDS@climalife.dehon.com

#### Other

Dehon nordic service Östra Hamngatan 50B 3tr 41109 GÖTEBORG

Sweden

T 00 46 735 01 90 50

ContactFDS@climalife.dehon.com

Dehon Service Nerderland B.V. Van Konijnenburgweg 84 NL-4612 PL Bergen Op Zoom

Netherlands

T 00 31 164 212 830 - F 00 31 164 212 831

ContactFDS@climalife.dehon.com

#### Other

Galco s.a/n.v.

Avenue Carton de Wiart, 79

1090 BRUSSELS

**Belaium** 

T 00 32 2 421 01 84 - F 00 32 2 421 01 84 / 00 32 2 425 38 12

ContactFDS@climalife.dehon.com

# Other

Climalife Kft Budepesta sucurcala Bucuresti Romania Bulevardul Hristo Botev, Nr. 28, Biroul NR 4, Modulul I

Bucuresti Sectorul 3

Romania

ContactFDS@climalife.dehon.com

### Other

Dehon Kälte-Fachvertriebs GmbH

Robert-Bosch-Strasse 14 40668 MEERBUSCH

T 00 49 2150 7073 0 - F 00 49 2150 7073 17

ContactFDS@climalife.dehon.com

#### Other

Dehon Service Belgium s.a/n.v. Avenue Carton de Wiart, 79

1090 Bruxelles Belaium

T 00 32 2 421 01 70 - F 00 32 2 426 96 62

ContactFDS@climalife.dehon.com

# Other

Friogas sa

Poligono Industrial SEPES Parcela 10

46500 SAGUNTO (Valencia)

T 00 34 9 6 266 36 32 - F 00 34 9 6 266 50 25

ContactFDS@climalife.dehon.com

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other

IDS Refrigeration Limited 22 Apex Court, Woodlands, Bradley Stoke BS32 4JT Bristol United Kingdom

T 00 44 1179 802520 - F 00 44 1179 802521

ContactFDS@climalife.dehon.com

Other

Climalife Asia Corporation Room 302-A82,No.3,Building 1509,Xin Zhen Road, 201101 Shanghai – Minhang District China

T +86 21 6442 3972 - F +86 21 6442 3952 ContactFDS@climalife.dehon.com Other

Prochimac SA ZI Petits Champs 15 CH-1400 Yverdon-les-Bains

Switzerland

T 00 41 32 727 36 00 - F 00 41 32 727 36 19

ContactFDS@climalife.dehon.com

# 1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Press. Gas (Liq.)

Full text of hazard classes, H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Contact with the liquid may cause frostbite and serious damage to eyes. Under certain temperature and pressure conditions may form a flammable mixture in the presence of air.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS04

Signal word (CLP) : Warning

Hazard statements (CLP) : H280 - Contains gas under pressure; may explode if heated.

Precautionary statements (CLP) : P403 - Store in a well-ventilated place.

Extra phrases : Greenhouse fluorinated gas falling within Kyoto Protocol (GWP=1430).

# 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
,	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

 Name
 : R-134a

 CAS-No.
 : 811-97-2

 EC-No.
 : 212-377-0

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,1,1,2-Tetrafluoroethane	CAS-No.: 811-97-2 EC-No.: 212-377-0 REACH-no: 01-2119459374- 33	100	Press. Gas (Liq.), H280

Full text of H- and EUH-statements: see section 16

### 3.2. Mixtures

Not applicable

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : In the event of contact with the liquid: treat resulting frostbite as a burn. Immediately remove

contaminated clothing or footwear. Immediately rinse with plenty of water. If skin burns

appear, call a doctor immediately.

First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes

minimum). Consult an eye specialist immediately.

First-aid measures after ingestion : Not specifically applicable (gas).

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : CNS depression. Narcosis. Cardiac disorders. Lack of oxygen: risk of death.

# 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used.

Unsuitable extinguishing media : None to our knowledge. If there is a fire close by, use suitable extinguishing agents.

# 5.2. Special hazards arising from the substance or mixture

Explosion hazard : Pressure increase. Under certain temperature and pressure conditions may form a

flammable mixture in the presence of air. On heating : Toxic and corrosive vapours are

released.

# 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing.

5/9/2023 (Revision date) GB - en 3/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Avoid contact with skin and eyes. Remove all sources of ignition. Do not smoke. Evacuate the danger area. Do not breathe smoke. Stop the leak.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

Other information : Mechanically ventilate the spillage area.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ventilation.

Hygiene measures : Do not drink, eat or smoke in the workplace.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store : in a cool, well-ventilated area. away from any source of ignition. away from any

source of heat.

Incompatible materials : Strong oxidizing agents. Alkaline hydroxide. Alkaline earth metals. Finely divided metals (Al,

Mg, Zn).

Packaging materials : Recommended materials. Carbon steel. Stainless steel. Do not use : Plastic materials.

Alloys containing more than 2% magnesium.

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

R-134a (811-97-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA 4240 mg/m³		
IOEL TWA [ppm] 1000 ppm		
1,1,1,2-Tetrafluoroethane (811-97-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
OEL TWA 4240 mg/m³		
IOEL TWA [ppm] 1000 ppm		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,1,1,2-Tetrafluoroethane (811-97-2)		
United Kingdom - Occupational Exposure Limits		
Local name 1,1,1,2-Tetrafluoroethane (HFC 134a)		
WEL TWA (OEL TWA) [1]	4240 mg/m³	
WEL TWA (OEL TWA) [2]	1000 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

1,1,1,2-Tetrafluoroethane (811-97-2)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, inhalation	13936 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects, inhalation	2476 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	0.1 mg/l	
PNEC aqua (marine water)	0.01 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.75 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	73 mg/l	

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

# 8.2.2. Personal protection equipment

# 8.2.2.1. Eye and face protection

# Eye protection:

Safety glasses with side shields

# 8.2.2.2. Skin protection

# Skin and body protection:

Majority cotton protective clothing

### Hand protection:

Leather protective gloves. Nitrile-rubber protective gloves. VITON gloves

# 8.2.2.3. Respiratory protection

### Respiratory protection:

In the event of insufficient ventilation: Gas mask with filter type AX. In a confined area: Self-contained breathing apparatus

#### 8.2.2.4. Thermal hazards

No additional information available

5/9/2023 (Revision date) GB - en 5/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.3. Environmental exposure controls

No additional information available

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Gas : Colourless. Colour : Press. Gas (Liq.). Appearance Molecular mass : 102.03 g/mol Odour slightly ethereal. Odour threshold Not available : -103.3 °C Melting point Freezing point : Not applicable Boiling point : -26.08 °C Flammability : > 750 °C

Non flammable.

Explosive properties : Not explosive material according to EC criteria.

Oxidising properties : Non oxidizing material according to EC criteria.

Explosive limits : Not available
Lower explosion limit : Not available
Upper explosion limit : Not available
Flash point : None

Auto-ignition temperature > 743 °C (1.013 hPa)

Decomposition temperature : 250 °C
pH : Not applicable
Viscosity, kinematic : 0.162 mm²/s
Viscosity, dynamic : 0.195 mPa·s
Solubility : Water: 1.5 g/l
Partition coefficient n-octanol/water (Log Kow) : Not available

Partition coefficient n-octanol/water (Log Pow) : 1.06

Vapour pressure : 6.654 bar (25°C)
Vapour pressure at 50°C : 13.18 bar
Critical pressure : 40.59 bar
Density : 1207 kg/m³ (25°C)
Relative density : Not applicable

Relative vapour density at 20°C : 3.5

Particle characteristics : Not applicable

#### 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

Critical temperature : 101.1 °C

### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

# 10.3. Possibility of hazardous reactions

No information available.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.4. Conditions to avoid

Under certain temperature and pressure conditions may form a flammable mixture in the presence of air.

### 10.5. Incompatible materials

Alkalis and caustic products. Alkaline earth metals. Strong oxidizing agents. Finely divided metals (AI, Mg, Zn).

# 10.6. Hazardous decomposition products

On thermal decomposition (pyrolysis), releases : Carbon oxides (CO, CO2). Hydrogen fluoride.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

# **1,1,1,2-Tetrafluoroethane (811-97-2)**

LC50 Inhalation - Rat [ppm] > 500000 ppm/4h

Skin corrosion/irritation : Not classified pH: Not applicable

Additional information : Contact with the liquid causes frostbite

### **1,1,1,2-Tetrafluoroethane (811-97-2)**

pH Not applicable

Serious eye damage/irritation : Not classified

pH: Not applicable

Additional information : Contact with the liquefied gas may cause severe ocular lesions

# 1,1,1,2-Tetrafluoroethane (811-97-2)

pH Not applicable

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

# 1,1,1,2-Tetrafluoroethane (811-97-2)

NOAEL (chronic, oral, animal/male, 2 years) 300 mg/kg bodyweight rat

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

# R-134a (811-97-2)

Viscosity, kinematic 0.162 mm²/s

### 1,1,1,2-Tetrafluoroethane (811-97-2)

Viscosity, kinematic 0.162 mm²/s

### 11.2. Information on other hazards

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

: Not classified

: Not classified

(chronic)

1,1,1,2-Tetrafluoroethane (811-97-2)	
LC50 - Fish [1]	450 mg/l 96 Hours (Oncorhynchus mykiss)
EC50 - Crustacea [1]	980 mg/l 48 Hours (Daphnia magna)
EC50 72h - Algae [1]	> 118 mg/l (Selenastrum capricornutum)

# 12.2. Persistence and degradability

1,1,1,2-Tetrafluoroethane (811-97-2)	
Persistence and degradability	Photodegradation in the air : Half-life in air : 9,7 y. 3 % biodegradation after 28 days.

### 12.3. Bioaccumulative potential

R-134a (811-97-2)		
Partition coefficient n-octanol/water (Log Pow) 1.06		
1,1,1,2-Tetrafluoroethane (811-97-2)		
Partition coefficient n-octanol/water (Log Pow) 1.06		

# 12.4. Mobility in soil

1,1,1,2-Tetrafluoroethane (811-97-2)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.5

# 12.5. Results of PBT and vPvB assessment

Component	
,	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

: Ozone depletion factor ODP (R-11=1) = 0. Other adverse effects Additional information : Global warming potential (GWP) 1430

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Methods of disposal of packaging. Reuse or recycle following decontamination. Destroy at

an authorised site.

Additional information The user's attention is drawn to the possible existence of specific european, national or

local regulations regarding disposal.

5/9/2023 (Revision date) GB - en 8/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID n	umber	
UN 3159	UN 3159	UN 3159
14.2. UN proper shippin	g name	
1,1,1,2- TETRAFLUOROETHANE (REFRIGERANT GAS R 134A)	1,1,1,2- TETRAFLUOROETHANE (REFRIGERANT GAS R 134a)	1,1,1,2-Tetrafluoroethane
Transport document descr	iption	
UN 3159 1,1,1,2- TETRAFLUOROETHANE (REFRIGERANT GAS R 134A), 2.2, (C/E)	UN 3159 1,1,1,2- TETRAFLUOROETHANE (REFRIGERANT GAS R 134a), 2.2	UN 3159 1,1,1,2-Tetrafluoroethane, 2.2
14.3. Transport hazard	class(es)	
2.2	2.2	2.2
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental haz	zards	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information	on available	

# 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : 2A
Special provisions (ADR) : 662
Limited quantities (ADR) : 120ml
Tank code (ADR) : PxBN(M)
Transport category (ADR) : 3

Hazard identification number (Kemler No.) : 20

Orange plates :

20 3159

Tunnel restriction code (ADR) : C/E EAC code : 2TE

Transport by sea

Limited quantities (IMDG) : 120 ml
EmS-No. (Fire) : F-C
EmS-No. (Spillage) : S-V

Air transport

PCA Limited quantities (IATA) : Forbidden

5/9/2023 (Revision date) GB - en 9/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : 200
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 200
CAO max net quantity (IATA) : 150kg

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Other information, restriction and prohibition regulations

: \* Regulation (EC) No 517/2014 : Greenhouse fluorinated gas falling within Kyoto Protocol.

#### **REACH Annex XVII (Restriction List)**

Not listed on REACH Annex XVII

#### **REACH Annex XIV (Authorisation List)**

Not listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Not listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Not listed on the PIC list (Regulation EU 649/2012)

#### **POP Regulation (Persistent Organic Pollutants)**

Not listed on the POP list (Regulation EU 2019/1021)

# Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

Ensure all national/local regulations are observed.

### 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
2.2	Labelling	Modified	
9.1	Physico-chemical hazard data	Modified	

Other information

: For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H280	Contains gas under pressure; may explode if heated.
Press. Gas (Liq.)	Gases under pressure : Liquefied gas

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.