

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Name : Opteon® XP44 (R-452A)
 Product code : 100145200

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Refrigerant

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Dehon Service SAS
 26 Avenue du Petit Parc
 94683 VINCENNES Cedex
 France
 T 01 43 98 75 00 - F 01 43 98 21 51
ContactFDS@climalife.dehon.com

Other

Climalife Kft Budepesta sucursală București Romania
 Bulevardul Hristo Botev, Nr. 28, Biroul NR 4, Modulul I
 București Sectorul 3
 Romania
ContactFDS@climalife.dehon.com

Other

Dehon Kälte-Fachvertriebs GmbH
 Robert-Bosch-Strasse 14
 40668 MEERBUSCH
 Germany
 T 00 49 2150 7073 0 - F 00 49 2150 7073 17
ContactFDS@climalife.dehon.com

Other

Dehon Service Belgium s.a/n.v.
 Avenue Carton de Wiart, 79
 1090 Bruxelles
 Belgium
 T 00 32 2 421 01 70 - F 00 32 2 426 96 62
ContactFDS@climalife.dehon.com

Other

Friogás sa
 Polígono Industrial SEPES Parcela 10
 46500 SAGUNTO (Valencia)
 Spain
 T 00 34 9 6 266 36 32 - F 00 34 9 6 266 50 25
ContactFDS@climalife.dehon.com

Other

Prochimac SA
 ZI Petits Champs 15
 CH-1400 Yverdon-les-Bains
 Switzerland
 T 00 41 32 727 36 00 - F 00 41 32 727 36 19
ContactFDS@climalife.dehon.com

Other

Climalife Hongrie Kft
 Villányi út 47
 1118 Budaörs
 Hungary
 T (36) 23 431 660 - F (36) 23 431 661
ContactFDS@climalife.dehon.com

Other

Climalife Supplied by Inventec Performance Chemicals Italia SRL
 Via del Lavoro, 10/G
 20874 Busnago MB
 Italia
 T +39 39-5973480 - F +39 39-5973490
ContactFDS@climalife.dehon.com

Other

Dehon nordic service
 Östra Hamngatan 50B 3tr
 41109 GÖTEBORG
 Sweden
 T 00 46 735 01 90 50
ContactFDS@climalife.dehon.com

Other

Dehon Service Nerderland B.V.
 Van Konijnenburgweg 84
 NL-4612 PL Bergen Op Zoom
 Netherlands
 T 00 31 164 212 830 - F 00 31 164 212 831
ContactFDS@climalife.dehon.com

Other

IDS Refrigeration Limited
 22 Apex Court, Woodlands, Bradley Stoke
 BS32 4JT Bristol
 United Kingdom
 T 00 44 1179 802520 - F 00 44 1179 802521
ContactFDS@climalife.dehon.com

Opteon® XP44 (R-452A)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|------------------------|------------------|-----------------------------------|
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH | 0344 892 0111 | Only for healthcare professionals |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Press. Gas (Liq.) H280

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Contact with the liquid may cause frostbite and serious damage to eyes.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS04

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H280 - Contains gas under pressure; may explode if heated.

Precautionary statements (CLP) :

P410+P403 - Protect from sunlight. Store in a well-ventilated place.

Extra phrases :

Greenhouse fluorinated gas falling within Kyoto Protocol (GWP=2140).

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

| Component | |
|--|---|
| Pentafluoroethane (354-33-6) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Opteon® XP44 (R-452A)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------------------------|--|----|---|
| Pentafluoroethane | CAS-No.: 354-33-6 EC-No.: 206-557-8 REACH-no: 01-2119485636-25 | 59 | Press. Gas (Liq.), H280 |
| 2,3,3,3-Tetrafluoroprop-1-ene | CAS-No.: 754-12-1 EC-No.: 468-710-7 REACH-no: 01-0000019665-61 | 30 | Flam. Gas 1B, H221 Press. Gas (Liq.), H280 |
| Difluoromethane | CAS-No.: 75-10-5 EC-No.: 200-839-4 REACH-no: 01-2119471312-47 | 11 | Flam. Gas 1B, H221 Press. Gas (Liq.), H280 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Move the affected person away from the contaminated area and into the fresh air. If you feel unwell, seek medical advice. |
| First-aid measures after skin contact | : In the event of contact with the liquid: treat resulting frostbite as a burn. Immediately remove contaminated clothing or footwear. Immediately rinse with plenty of water. If skin burns appear, call a doctor immediately. |
| First-aid measures after eye contact | : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Consult an eye specialist immediately. |
| First-aid measures after ingestion | : Not specifically applicable (gas). |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|------------------|---|
| Symptoms/effects | : CNS depression. Narcosis. Cardiac disorders. Lack of oxygen: risk of death. |
|------------------|---|

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : All extinguishing agents can be used. |
| Unsuitable extinguishing media | : None to our knowledge. If there is a fire close by, use suitable extinguishing agents. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|--|
| Explosion hazard | : pressure rise and possible bursting of container. On heating : Toxic and corrosive vapours are released. |
| Hazardous decomposition products in case of fire | : Thermal decomposition generates : Carbon oxides (CO, CO ₂), Hydrogen halogenides, Carbonyl halogenides, fluorinated compounds. |

5.3. Advice for firefighters

| | |
|--------------------------------|---|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. |
| Protection during firefighting | : Self-contained breathing apparatus. Complete protective clothing. |

Opteon® XP44 (R-452A)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Remove all sources of ignition. Do not smoke. Evacuate the danger area. Do not breathe smoke. Stop the leak.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

Other information : Mechanically ventilate the spillage area.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing mist, vapours. Do not get in eyes, on skin, or on clothing. Ventilation. Vapours are heavier than air and may spread along floors. Under certain temperature and pressure conditions may form a flammable mixture in the presence of air. Do not use joint paste that may contain peroxides.

Hygiene measures : Do not drink, eat or smoke in the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store : in a cool, well-ventilated area, away from any source of heat, away from any source of ignition.

Incompatible materials : Strong oxidizing agents. Alkaline hydroxide. Alkaline earth metals. Finely divided metals (Al, Mg, Zn).

Packaging materials : Recommended materials Stainless steel, Carbon steel. Do not use : Alloys containing more than 2% magnesium, Plastic materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Pentafluoroethane (354-33-6)

EU - Indicative Occupational Exposure Limit (IOEL)

| | |
|----------|--------------------------------------|
| IOEL TWA | 4900 mg/m ³ (recommended) |
|----------|--------------------------------------|

| | |
|----------------|------------------------|
| IOEL TWA [ppm] | 1000 ppm (recommended) |
|----------------|------------------------|

2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)

EU - Indicative Occupational Exposure Limit (IOEL)

| | |
|----------------|-----------------------|
| IOEL TWA [ppm] | 500 ppm (recommended) |
|----------------|-----------------------|

Opteon® XP44 (R-452A)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Difluoromethane (75-10-5)

EU - Indicative Occupational Exposure Limit (IOEL)

| | |
|----------------|------------------------|
| IOEL TWA | 2200 (recommended) |
| IOEL TWA [ppm] | 1000 ppm (recommended) |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Pentafluoroethane (354-33-6)

DNEL/DMEL (Workers)

| | |
|--|-------------------------|
| Long-term - systemic effects, inhalation | 16444 mg/m ³ |
|--|-------------------------|

DNEL/DMEL (General population)

| | |
|--|------------------------|
| Long-term - systemic effects, inhalation | 1753 mg/m ³ |
|--|------------------------|

PNEC (Water)

| | |
|------------------------|----------|
| PNEC aqua (freshwater) | 0.1 mg/l |
|------------------------|----------|

| | |
|--------------------------------------|--------|
| PNEC aqua (intermittent, freshwater) | 1 mg/l |
|--------------------------------------|--------|

PNEC (Sediment)

| | |
|----------------------------|---------------|
| PNEC sediment (freshwater) | 0.6 mg/kg dwt |
|----------------------------|---------------|

2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)

DNEL/DMEL (Workers)

| | |
|--|-------------------------|
| Long-term - systemic effects, inhalation | 23000 mg/m ³ |
|--|-------------------------|

PNEC (Water)

| | |
|------------------------|------------|
| PNEC aqua (freshwater) | > 0.1 mg/l |
|------------------------|------------|

| | |
|--------------------------|-------------|
| PNEC aqua (marine water) | > 0.01 mg/l |
|--------------------------|-------------|

PNEC (Sediment)

| | |
|------------------------------|-------------------|
| PNEC sediment (marine water) | > 0.178 mg/kg dwt |
|------------------------------|-------------------|

PNEC (Soil)

| | |
|-----------|------------------|
| PNEC soil | > 1.54 mg/kg dwt |
|-----------|------------------|

Difluoromethane (75-10-5)

DNEL/DMEL (Workers)

| | |
|--|------------------------|
| Long-term - systemic effects, inhalation | 7035 mg/m ³ |
|--|------------------------|

DNEL/DMEL (General population)

| | |
|--|-----------------------|
| Long-term - systemic effects, inhalation | 750 mg/m ³ |
|--|-----------------------|

PNEC (Water)

| | |
|------------------------|------------|
| PNEC aqua (freshwater) | 0.142 mg/l |
|------------------------|------------|

PNEC (Sediment)

| | |
|----------------------------|-----------------|
| PNEC sediment (freshwater) | 0.534 mg/kg dwt |
|----------------------------|-----------------|

8.1.5. Control banding

No additional information available

Opteon® XP44 (R-452A)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses with side shields

8.2.2.2. Skin protection

Skin and body protection:

Majority cotton protective clothing

Hand protection:

Leather protective gloves. Nitrile-rubber protective gloves. VITON gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In the event of insufficient ventilation: Gas mask with filter type AX. In a confined area : Self-contained breathing apparatus

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--|
| Physical state | : Gas |
| Colour | : Colourless. |
| Appearance | : Press. Gas (Liq.). |
| Odour | : slightly ethereal. |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : Not applicable |
| Boiling point | : -46.93 °C |
| Flammability | : Non flammable. |
| Explosive properties | : Not explosive material according to EC criteria. |
| Oxidising properties | : Non oxidizing material according to EC criteria. |
| Explosive limits | : Not available |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : None |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not applicable |
| Viscosity, kinematic | : Not applicable |
| Solubility | : Insoluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : 1.07 mPa (21.1°C) |
| Vapour pressure at 50°C | : Not available |
| Critical pressure | : 40.67 bar |
| Density | : Not applicable |
| Relative density | : Not applicable |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

Opteon® XP44 (R-452A)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Decomposes on exposure to temperature rise.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No information available. No polymerization.

10.4. Conditions to avoid

Under certain temperature and pressure conditions may form a flammable mixture in the presence of air. Avoid high temperatures. Avoid naked flame.

10.5. Incompatible materials

Do not use joint paste that may contain peroxides. Alkalis and caustic products. alkali metals. Alkaline earth metals. Finely divided metals (Al, Mg, Zn). Strong oxidizing agents.

10.6. Hazardous decomposition products

On thermal decomposition (pyrolysis), releases : Hydrogen fluoride, Carbon oxides (CO, CO₂), Fluorinated hydrocarbons, Carbonyl halogenides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

| Pentafluoroethane (354-33-6) | |
|------------------------------|---------------|
| LC50 Inhalation - Rat [ppm] | 800000 ppm/4h |

| 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1) | |
|--|-----------------|
| LC50 Inhalation - Rat [ppm] | > 400000 ppm/4h |

| Difluoromethane (75-10-5) | |
|-----------------------------|-----------------|
| LC50 Inhalation - Rat [ppm] | > 520000 ppm/4h |

Skin corrosion/irritation : Not classified
pH: Not applicable
Additional information : Contact with the liquid causes frostbite

| Pentafluoroethane (354-33-6) | |
|------------------------------|----------------|
| pH | Not applicable |

Serious eye damage/irritation : Not classified
pH: Not applicable
Additional information : Contact with the liquefied gas may cause severe ocular lesions

Opteon® XP44 (R-452A)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Pentafluoroethane (354-33-6) | |
|-----------------------------------|------------------|
| pH | Not applicable |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |

| Difluoromethane (75-10-5) | |
|---------------------------------------|-------------------|
| NOAEC (inhalation, rat, gas, 90 days) | 50000 ppmv/6h/day |
| Aspiration hazard | : Not classified |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|------------------|
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

| Pentafluoroethane (354-33-6) | |
|------------------------------|---|
| LC50 - Fish [1] | > 100 mg/l 96 Hours (Oncorhynchus mykiss) |
| EC50 - Crustacea [1] | > 100 mg/l 48 Hours (Daphnia magna) |
| EC50 72h - Algae [1] | > 114 mg/l 72 Hours (Pseudokirchneriella subcapitata) |

| 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1) | |
|--|--|
| LC50 - Fish [1] | > 197 mg/l Cyprinus carpio (Common carp) |
| EC50 - Crustacea [1] | > 83 mg/l (Daphnia magna) |
| EC50 72h - Algae [1] | > 100 mg/l (scenedesmus capricornutum) |

12.2. Persistence and degradability

| Pentafluoroethane (354-33-6) | |
|-------------------------------|-----------------------------------|
| Persistence and degradability | 5 % biodegradation after 28 days. |

| 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1) | |
|--|----------------------------|
| Persistence and degradability | Not readily biodegradable. |

12.3. Bioaccumulative potential

| Pentafluoroethane (354-33-6) | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 1.48 |

| 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1) | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 2.15 |

| Difluoromethane (75-10-5) | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 0.21 |

Opteon® XP44 (R-452A)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.4. Mobility in soil

Pentafluoroethane (354-33-6)

| | |
|--|-----------|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.3 – 1.7 |
|--|-----------|

12.5. Results of PBT and vPvB assessment

Component

| | |
|--|---|
| Pentafluoroethane (354-33-6) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

| | |
|------------------------|---|
| Other adverse effects | : Ozone depletion factor. |
| Additional information | : Global warming potential (GWP) GWP = 2140 |

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|--|---|
| Product/Packaging disposal recommendations | : Methods of disposal of packaging. Reuse or recycle following decontamination. Destroy at an authorised site. |
| Additional information | : The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal. |

SECTION 14: Transport information




In accordance with ADR / IMDG / IATA

| ADR | IMDG | IATA |
|---|--|--|
| 14.1. UN number or ID number | | |
| UN 1078 | UN 1078 | UN 1078 |
| 14.2. UN proper shipping name | | |
| REFRIGERANT GAS, N.O.S. (Pentafluoroethane ; 2,3,3,3-Tetrafluoroprop-1-ene ; Difluoromethane) | REFRIGERANT GAS, N.O.S. (Pentafluoroethane ; 2,3,3,3-Tetrafluoroprop-1-ene ; Difluoromethane) | Refrigerant gas, n.o.s. (Pentafluoroethane ; 2,3,3,3-Tetrafluoroprop-1-ene ; Difluoromethane) |
| Transport document description | | |
| UN 1078 REFRIGERANT GAS, N.O.S. (Pentafluoroethane ; 2,3,3,3-Tetrafluoroprop-1-ene ; Difluoromethane), 2.2, (C/E) | UN 1078 REFRIGERANT GAS, N.O.S. (Pentafluoroethane ; 2,3,3,3-Tetrafluoroprop-1-ene ; Difluoromethane), 2.2 | UN 1078 Refrigerant gas, n.o.s. (Pentafluoroethane ; 2,3,3,3-Tetrafluoroprop-1-ene ; Difluoromethane), 2.2 |
| 14.3. Transport hazard class(es) | | |
| 2.2 | 2.2 | 2.2 |

Opteon® XP44 (R-452A)

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| ADR | IMDG | IATA |
|---|---|---|
|  |  |  |
| 14.4. Packing group | | |
| Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No |
| No supplementary information available | | |

14.6. Special precautions for user

Overland transport

| | |
|---|-----------------|
| Classification code (ADR) | : 2A |
| Special provisions (ADR) | : 274, 582, 662 |
| Limited quantities (ADR) | : 120ml |
| Tank code (ADR) | : PxBN(M) |
| Transport category (ADR) | : 3 |
| Hazard identification number (Kemler No.) | : 20 |
| Orange plates | : |



| | |
|-------------------------------|-------|
| Tunnel restriction code (ADR) | : C/E |
| EAC code | : 2TE |

Transport by sea

| | |
|---------------------------|----------|
| Special provisions (IMDG) | : 274 |
| Limited quantities (IMDG) | : 120 ml |
| EmS-No. (Fire) | : F-C |
| EmS-No. (Spillage) | : S-V |

Air transport

| | |
|--|-------------|
| PCA Limited quantities (IATA) | : Forbidden |
| PCA limited quantity max net quantity (IATA) | : Forbidden |
| PCA packing instructions (IATA) | : 200 |
| PCA max net quantity (IATA) | : 75kg |
| CAO packing instructions (IATA) | : 200 |
| CAO max net quantity (IATA) | : 150kg |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Other information, restriction and prohibition regulations : * Regulation (EC) No 517/2014 : Greenhouse fluorinated gas falling within Kyoto Protocol.

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Opteon® XP44 (R-452A)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Ensure all national/local regulations are observed.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

All chapters have been modified since the previous version.

Other information : For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Flam. Gas 1B | Flammable gases, Category 1B |
| H221 | Flammable gas. |
| H280 | Contains gas under pressure; may explode if heated. |
| Press. Gas (Liq.) | Gases under pressure : Liquefied gas |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.