



VIN-FP-487/001

FRIONETT® EVAPORATOR CLEANER



Non contractual photo

INTRODUCTION

Frionett® Evaporator Cleaner is a powerful product intended for the intensive cleaning of indoor pollutants from airconditioning and refrigeration systems.

It restores efficient operation for achieving the desired indoor comfort by eliminating dust, grease and other built up dirt and debris from the evaporators.

Rinse after 5 minutes of contact.

There are two versions:

Frionett® Evaporator Cleaner: concentrated product; must be

Frionett® Evaporator Cleaner RTU: ready-to-use product

PROPERTIES

	Frionett® Evaporator Cleaner	Frionett® Evaporator Cleaner RTU
Appearance	Dark yellow liquid	Light yellow liquid
Density at 20°C (kg/dm ³)	1.070	1.015
Concentrated pH	12	11.2
Dilution	1 part product to 5 part water	Do not dilute
Solubility in water	Miscible in all proportions	
Wetting ability at 1%	15 seconds	
Degreasing capacity (time from first contact)	8 to 120 seconds	





FRIONETT® EVAPORATOR CLEANER



USAGE

Frionett® **Evaporator Cleaner** is a concentrated product. Dilute in water, in a ratio of 1 part product to 5 parts water. After diluting, apply or spray the product directly from bottom up on the surface to be cleaned. Allow to stand for 5 minutes, and then rinse with water. If necessary, repeat the procedure.

Packaging: 1 litre bottle.

PRECAUTIONS FOR USE

Use in a well-ventilated area. Use appropriate personal protection equipment. Refer to the safety data sheet.

FRIONETT® EVAPORATOR CLEANER RTU



Non contractual photo

USAGE

Frionett® **Evaporator Cleaner RTU** is ready to use product. Spray the product directly from bottom up on the surface to be cleaned, covering the entire surface. Allow to stand for 5 minutes, and then rinse with water. If necessary, repeat the procedure.

Packaging: 750 ml trigger spray bottle

PRECAUTIONS FOR USE

Use in a well-ventilated area. Use appropriate personal protection equipment. Refer to the safety data sheet.

These products are an aqueous solution. The facilities' non-waterproof electrical parts must be protected or disconnected from all power sources.

The information contained in this product sheet is the result of our studies and experience. It is provided in good faith, but should not, under any circumstance, be taken to constitute a guarantee on our part

