

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Substance
Name	: R-134a T
Chemical name	: 1,1,1,2-Tetrafluoroethane
EC-No.	: 212-377-0
CAS-No.	: 811-97-2
REACH registration No	: 01-2119459374-33
Product code	: 100080800
Synonyms	: HFC 134a T / NovaSpray HFC 134a T

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture	: Refrigerant Aerosol jet
------------------------------	------------------------------

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Dehon Service SAS  
 26 Avenue du Petit Parc  
 94683 VINCENNES Cedex - France  
 T 01 43 98 75 00 - F 01 43 98 21 51  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Climalife Hongrie Kft  
 Villányi út 47  
 1118 Budaörs - Hungary  
 T (36) 23 431 660 - F (36) 23 431 661  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Climalife Supplied by Inventec Performance Chemicals Italia SRL  
 Via del Lavoro, 10/G  
 20874 Busnago MB - Italia  
 T +39 39-5973480 - F +39 39-5973490  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Dehon nordic service  
 Östra Hamngatan 50B 3tr  
 41109 GÖTEBORG - Sweden  
 T 00 46 44 21 58 80 - F 00 46 44 21 58 80  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Dehon Service Nerderland B.V.  
 Van Konijnenburgweg 84  
 NL-4612 PL Bergen Op Zoom - Netherlands  
 T 00 31 164 212 830 - F 00 31 164 212 831  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

IDS Refrigeration Limited  
 Green Court, Kings Weston Lane  
 Avonmouth  
 BS11 8AZ Bristol - United Kingdom  
 T 00 44 1179 802520 - F 00 44 1179 802521  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Galco s.a/n.v.  
 Avenue Carton de Wiart, 79  
 1090 BRUSSELS - Belgium  
 T 00 32 2 421 01 84 - F 00 32 2 421 01 84 / 00 32 2 425 38 12  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Climalife Kft Budepesta sucurcala Bucuresti Romania  
 Bulevardul Hristo Botev, Nr. 28,  
 Biroul NR 4, Modulul I  
 Bucuresti Sectorul 3 - Romania  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Dehon Kälte-Fachvertriebs GmbH  
 Robert-Bosch-Strasse 14  
 40668 MEERBUSCH - Germany  
 T 00 49 2150 7073 0 - F 00 49 2150 7073 17  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Dehon Service Belgium s.a/n.v.  
 Avenue Carton de Wiart, 79  
 1090 Bruxelles - Belgium  
 T 00 32 2 421 01 70 - F 00 32 2 426 96 62  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Friogas sa  
 Poligono Industrial SEPES  
 Parcela 10  
 46500 SAGUNTO (Valencia) - Spain  
 T 00 34 9 6 266 36 32 - F 00 34 9 6 266 50 25  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Prochimac SA  
 Rue du Château 10  
 CH-2000 NEUCHÂTEL - Switzerland  
 T 00 41 32 727 36 00 - F 00 41 32 727 36 19  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

# R-134a T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Press. Gas (Liq.) H280

Full text of hazard classes and H-statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Contact with the liquid may cause frostbite and serious damage to eyes. Under certain temperature and pressure conditions may form a flammable mixture in the presence of air.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS04

Signal word (CLP) : Warning  
Hazard statements (CLP) : H280 - Contains gas under pressure; may explode if heated.  
Precautionary statements (CLP) : P410+P403 - Protect from sunlight. Store in a well-ventilated place.  
Extra phrases : Greenhouse fluorinated gas falling within Kyoto Protocol (GWP=1430).

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name : R-134a T  
CAS-No. : 811-97-2  
EC-No. : 212-377-0

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,1,1,2-Tetrafluoroethane	(CAS-No.) 811-97-2 (EC-No.) 212-377-0 (REACH-no) 01-2119459374-33	100	Press. Gas (Liq.), H280

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If you feel unwell, seek medical advice.  
First-aid measures after skin contact : In the event of contact with the liquid: treat resulting frostbite as a burn. Immediately remove contaminated clothing or footwear. Immediately rinse with plenty of water. If skin burns appear, call a doctor immediately.  
First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Consult an eye specialist immediately.  
First-aid measures after ingestion : Not specifically applicable (gas).

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : CNS depression. Narcosis. Cardiac disorders. Lack of oxygen: risk of death.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# R-134a T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing agents can be used.
- Unsuitable extinguishing media : None to our knowledge. If there is a fire close by, use suitable extinguishing agents.

#### 5.2. Special hazards arising from the substance or mixture

- Explosion hazard : Pressure increase. Under certain temperature and pressure conditions may form a flammable mixture in the presence of air. On heating : Toxic and corrosive vapours are released.

#### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin and eyes. Remove all sources of ignition. Do not smoke. Evacuate the danger area. Do not breathe smoke. Stop the leak.

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

- Other information : Mechanically ventilate the spillage area.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ventilation.
- Hygiene measures : Do not drink, eat or smoke in the workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store : in a cool, well-ventilated area. away from any source of ignition. away from any source of heat.
- Incompatible materials : Strong oxidizing agents. Alkaline hydroxide. Alkaline earth metals. Finely divided metals (Al, Mg, Zn).
- Packaging materials : Recommended materials: Carbon steel. Stainless steel. Do not use : Plastic materials. Alloys containing more than 2% magnesium.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

R-134a T (811-97-2)	
Sweden - Occupational Exposure Limits	
Anmärkning (SE)	V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)
1,1,1,2-Tetrafluoroethane (811-97-2)	
Austria - Occupational Exposure Limits	
Local name	1,1,1,2-Tetrafluorethan
MAK (mg/m <sup>3</sup> )	4200 mg/m <sup>3</sup>
MAK (ppm)	1000 ppm
MAK Short time value (mg/m <sup>3</sup> )	16800 mg/m <sup>3</sup>
MAK Short time value (ppm)	4000 ppm
Regulatory reference	BGBI. II Nr. 186/2015
Germany - Occupational Exposure Limits (TRGS 900)	
TRGS 900 Local name	Norfluran

# R-134a T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Occupational exposure limit value (mg/m <sup>3</sup> )	4200 mg/m <sup>3</sup>
Occupational exposure limit value (ppm)	1000 ppm
Limitation of exposure peaks (mg/m <sup>3</sup> )	33600 mg/m <sup>3</sup>
Limitation of exposure peaks (ppm)	8000 ppm
Limitation of exposure peaks	8(II)
TRGS 900 Remark	DFG;Y
TRGS 900 Regulatory reference	TRGS900

### Sweden - Occupational Exposure Limits

Local name	HFC 134 a (1,1,1,2-Tetrafluoretan)
nivågränsvärde (NVG) (mg/m <sup>3</sup> )	2000 mg/m <sup>3</sup>
nivågränsvärde (NVG) (ppm)	500 ppm
kortidsvärde (KTV) (mg/m <sup>3</sup> )	3000 mg/m <sup>3</sup>
kortidsvärde (KTV) (ppm)	750 ppm
Anmärkning (SE)	V (Vägledande kortidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)
Regulatory reference	Hygieniska gränsvärden (AFS 2015:7)

### United Kingdom - Occupational Exposure Limits

Local name	1,1,1,2-Tetrafluoroethane (HFC 134a)
WEL TWA (mg/m <sup>3</sup> )	4240 mg/m <sup>3</sup>
WEL TWA (ppm)	1000 ppm
Regulatory reference	EH40. HSE

### Switzerland - Occupational Exposure Limits

MAK (mg/m <sup>3</sup> )	4200 mg/m <sup>3</sup>
MAK (ppm)	1000 ppm

### 1,1,1,2-Tetrafluoroethane (811-97-2)

#### DNEL/DMEL (Workers)

Long-term - systemic effects, inhalation	13936 mg/m <sup>3</sup>
--	-------------------------

#### DNEL/DMEL (General population)

Long-term - systemic effects, inhalation	2476 mg/m <sup>3</sup>
--	------------------------

#### PNEC (Water)

PNEC aqua (freshwater)	0.1 mg/l
PNEC aqua (marine water)	0.01 mg/l

#### PNEC (Sediment)

PNEC sediment (freshwater)	0.75 mg/kg dwt
----------------------------	----------------

#### PNEC (STP)

PNEC sewage treatment plant	73 mg/l
-----------------------------	---------

### 8.2. Exposure controls

#### Hand protection:

Leather protective gloves. Nitrile-rubber protective gloves. VITON gloves

#### Eye protection:

Safety glasses with side shields

#### Skin and body protection:

Majority cotton protective clothing

#### Respiratory protection:

In the event of insufficient ventilation: Gas mask with filter type AX. In a confined area : Self-contained breathing apparatus

# R-134a T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Press. Gas (Liq.).
Colour	: Colourless.
Odour	: slightly ethereal.
Odour threshold	: No data available
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: -101 °C
Boiling point	: -26.2 °C
Flash point	: None
Critical temperature	: 101 °C
Auto-ignition temperature	: > 750 °C
Decomposition temperature	: > 370 °C
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: 5.7 bar
Vapour pressure at 50 °C	: 13.2 bar
Critical pressure	: 4070 kPa
Relative vapour density at 20 °C	: 3.5
Relative density	: No data available
Density	: 1.2 g/cm <sup>3</sup> (20°C)
Solubility	: Water: 1.5 g/l
Log Pow	: 1.06
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive material according to EC criteria.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

No information available.

#### 10.4. Conditions to avoid

Under certain temperature and pressure conditions may form a flammable mixture in the presence of air.

#### 10.5. Incompatible materials

Alkalis and caustic products. Alkaline earth metals. Strong oxidizing agents. Finely divided metals (Al, Mg, Zn).

#### 10.6. Hazardous decomposition products

On thermal decomposition (pyrolysis), releases : Carbon oxides (CO, CO<sub>2</sub>). Hydrogen fluoride.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

#### 1,1,1,2-Tetrafluoroethane (811-97-2)

LC50 inhalation rat (ppm)	> 500000 ppm/4h
---------------------------	-----------------

Skin corrosion/irritation	: Not classified pH: Not applicable
---------------------------	--

Additional information : Contact with the liquid causes frostbite

# R-134a T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Serious eye damage/irritation	: Not classified pH: Not applicable
Additional information	: Contact with the liquefied gas may cause severe ocular lesions
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

### 1,1,1,2-Tetrafluoroethane (811-97-2)

NOAEL (chronic, oral, animal/male, 2 years)	300 mg/kg bodyweight rat
---	--------------------------

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

### 1,1,1,2-Tetrafluoroethane (811-97-2)

LC50 fish 1	450 mg/l 96 Hours (Oncorhynchus mykiss)
EC50 Daphnia 1	980 mg/l 48 Hours (Daphnia magna)
EC50 72h algae (1)	> 118 mg/l (Selenastrum capricornutum)

### 12.2. Persistence and degradability

#### 1,1,1,2-Tetrafluoroethane (811-97-2)

Persistence and degradability	Photodegradation in the air : Half-life in air : 9,7 y. 3 % biodegradation after 28 days.
-------------------------------	---

### 12.3. Bioaccumulative potential

#### R-134a T (811-97-2)

Log Pow	1.06
---------	------

### 1,1,1,2-Tetrafluoroethane (811-97-2)

Log Pow	1.06
---------	------

### 12.4. Mobility in soil

#### 1,1,1,2-Tetrafluoroethane (811-97-2)

Log Koc	1.5
---------	-----

### 12.5. Results of PBT and vPvB assessment

#### Component

1,1,1,2-Tetrafluoroethane (811-97-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
--------------------------------------	---

### 12.6. Other adverse effects

Other adverse effects	: Ozone depletion factor ODP (R-11=1) = 0. Total global warming potential (GWP) : 1430.
-----------------------	---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Switzerland : OTD : RS 814.600 / OMoD : RS 814.610.
Product/Packaging disposal recommendations	: Methods of disposal of packaging. Reuse or recycle following decontamination. Destroy at an authorised site.
Additional information	: The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.




## SECTION 14: Transport information

In accordance with ADR / IATA / IMDG

# R-134a T

## Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA
<b>14.1. UN number</b>		
UN 3159	UN 3159	UN 3159
<b>14.2. UN proper shipping name</b>		
1,1,1,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 134A)	1,1,1,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 134a)	1,1,1,2-Tetrafluoroethane
<b>Transport document description</b>		
UN 3159 1,1,1,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 134A), 2.2, (C/E)	UN 3159 1,1,1,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 134a), 2.2	UN 3159 1,1,1,2-Tetrafluoroethane, 2.2
<b>14.3. Transport hazard class(es)</b>		
2.2	2.2	2.2
		
<b>14.4. Packing group</b>		
Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : 2A  
Special provisions (ADR) : 662  
Limited quantities (ADR) : 120ml  
Tank code (ADR) : PxBN(M)  
Transport category (ADR) : 3  
Hazard identification number (Kemler No.) : 20  
Orange plates :



Tunnel restriction code (ADR) : C/E  
EAC code : 2TE

#### Transport by sea

Limited quantities (IMDG) : 120 ml  
EmS-No. (Fire) : F-C  
EmS-No. (Spillage) : S-V

#### Air transport

PCA Limited quantities (IATA) : Forbidden  
PCA limited quantity max net quantity (IATA) : Forbidden  
PCA packing instructions (IATA) : 200  
PCA max net quantity (IATA) : 75kg  
CAO packing instructions (IATA) : 200  
CAO max net quantity (IATA) : 150kg

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# R-134a T

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

R-134a T is not on the REACH Candidate List

R-134a T is not on the REACH Annex XIV List

R-134a T is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

R-134a T is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Other information, restriction and prohibition regulations : \* Regulation (EC) No 517/2014 : Greenhouse fluorinated gas falling within Kyoto Protocol.

##### 15.1.2. National regulations

Ensure all national/local regulations are observed.

###### Germany

Reference to AwSV

: Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV; ID No. 2350)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

###### Netherlands

SZW-lijst van kankerverwekkende stoffen

: The substance is not listed

SZW-lijst van mutagene stoffen

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

: The substance is not listed

###### Switzerland

Swiss National Regulations

: ORRChim RS 814.81.

#### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

#### Indication of changes:

Section	Changed item	Change	Comments
1.1	Synonyms	Added	
1.2	Use of the substance/mixture	Added	

Other information : For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

#### Full text of H- and EUH-statements:

Press. Gas (Liq.)	Gases under pressure : Liquefied gas
H280	Contains gas under pressure; may explode if heated.

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*