

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: 100002300

Revision date: 9/25/2020 Supersedes version of: 9/11/2020 Version: 5.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Name : R-23

Chemical name: TrifluoromethaneEC-No.: 200-872-4CAS-No.: 75-46-7

REACH registration No : 01-2119971823-29
Product code : 100002300

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Refrigerant

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Dehon Service SAS 26 Avenue du Petit Parc

94683 VINCENNES Cedex - France T 01 43 98 75 00 - F 01 43 98 21 51

ContactFDS@climalife.dehon.com

Other

Climalife Kft Budepesta sucurcala Bucuresti Romania

Bulevardul Hristo Botev, Nr. 28,

Biroul NR 4, Modulul I

Bucuresti Sectorul 3 - Romania ContactFDS@climalife.dehon.com

Other

Dehon Kälte-Fachvertriebs GmbH

Robert-Bosch-Strasse 14

40668 MEERBUSCH - Germany

T 00 49 2150 7073 0 - F 00 49 2150 7073 17

ContactFDS@climalife.dehon.com

Other

Dehon Service Nerderland B.V.

Van Konijnenburgweg 84

NL-4612 PL Bergen Op Zoom - Netherlands

T 00 31 164 212 830 - F 00 31 164 212 831

ContactFDS@climalife.dehon.com

Other

Galco s.a/n.v.

Avenue Carton de Wiart, 79 1090 BRUSSELS - Belgium

T 00 32 2 421 01 84 - F 00 32 2 421 01 84 / 00 32 2 425 38 12

ContactFDS@climalife.dehon.com

Other

Prochimac SA Rue du Château 10

CH-2000 NEUCHATEL - Switzerland T 00 41 32 727 36 00 - F 00 41 32 727 36 19

ContactFDS@climalife.dehon.com

Other

Climalife Hongrie Kft

Villányi út 47

1118 Budaörs - Hungary

T (36) 23 431 660 - F (36) 23 431 661 ContactFDS@climalife.dehon.com

Other

Climalife Supplied by Inventec Performance Chemicals Italia SRL

Via del Lavoro, 10/G 20874 Busnago MB - Italia

T +39 39-5973480 - F +39 39-5973490

ContactFDS@climalife.dehon.com

Other

Dehon nordic service Östra Hamngatan 50B 3tr

41109 GÖTEBORG - Sweden

T 00 46 44 21 58 80 - F 00 46 44 21 58 80 ContactFDS@climalife.dehon.com

Other

Friogas sa

Poligono Industrial SEPES

Parcela 10

46500 SAGUNTO (Valencia) - Spain

T 00 34 9 6 266 36 32 - F 00 34 9 6 266 50 25

ContactFDS@climalife.dehon.com

Other

IDS Refrigeration Limited

22 Apex Court, Woodlands, Bradley Stoke BS32 4JT Bristol - United Kingdom

T 00 44 1179 802520 - F 00 44 1179 802521

ContactFDS@climalife.dehon.com

Other

Dehon Service Belgium s.a/n.v. Avenue Carton de Wiart, 79 1090 Bruxelles - Belgium

T 00 32 2 421 01 70 - F 00 32 2 426 96 62

ContactFDS@climalife.dehon.com

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Press. Gas (Liq.) H280

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

 \Diamond

GHS04

Signal word (CLP) : Warning

Hazard statements (CLP)

: H280 - Contains gas under pressure; may explode if heated.

Precautionary statements (CLP)

: P410+P403 - Protect from sunlight. Store in a well-ventilated place.

Extra phrases

: Greenhouse fluorinated gas falling within Kyoto Protocol (GWP=14800).

2.3. Other hazards

Other hazards not contributing to the classification : May cause suffocation by reducing oxygen available for breathing. Contact with the liquid

the may cause cold burns/frostbite.

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : R-23 CAS-No. : 75-46-7 EC-No. : 200-872-4

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Trifluoromethane	(CAS-No.) 75-46-7 (EC-No.) 200-872-4 (REACH-no) 01-2119971823-29	100	Press. Gas (Liq.), H280

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : In the event of contact with the liquid: treat resulting frostbite as a burn. Immediately remove

contaminated clothing or footwear. Immediately rinse with plenty of water. If skin burns

appear, call a doctor immediately.

First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes

minimum). Consult an eye specialist immediately.

First-aid measures after ingestion : Not specifically applicable (gas).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : CNS depression. Narcosis. Cardiac disorders. Lack of oxygen: risk of death.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Chemical powder.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Heating will cause a rise in pressure with a risk of bursting. Thermal decomposition can lead

to the release of irritating gases and vapours : . Hydrogen fluoride. Carbon oxides (CO,

CO2).

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Evacuate the danger area. Do not breathe smoke. Stop

the leak. In closed premises: Ventilate or wear self-contained breathing apparatus (risk of

asphyxia). Remove all sources of ignition. Do not smoke.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Other information : Mechanically ventilate the spillage area.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

9/25/2020 (Version: 5.1) EN (English) 3/9

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide for appropriate exhaust ventilation at places of vapours accumulation. Vapours are

heavier than air and can cause suffocation by reducing oxygen available for breathing. Use personal protective equipment as required. Remove all sources of ignition. Open drums

carefully because content may be under pressure.

Hygiene measures : Do not drink, eat or smoke in the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

Store in original container.

Incompatible materials : alkali metals. Alkaline earth metals. Strong oxidizing agents.

Storage temperature : < 52 °C

Packaging materials : Recommended materials Carbon steel, Aluminium. Packing material to avoid : . Plastic

materials. Alloys containing more than 2% magnesium.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Trifluoromethane (75-46-7)

EU - Occupational Exposure Limits

No specific limit

Trifluoromethane (75-46-7)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, inhalation	1439 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects, inhalation	358 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	0.152 mg/l	
PNEC aqua (marine water)	0.015 mg/l	
PNEC aqua (intermittent, freshwater)	1.52 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.652 mg/kg dwt	
PNEC sediment (marine water)	0.065 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.042 mg/kg dwt	

8.2. Exposure controls

Hand protection:

Leather protective gloves. Nitrile-rubber protective gloves. VITON gloves

Eye protection:

Safety glasses with side shields

9/25/2020 (Version: 5.1) EN (English) 4/9

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin and body protection:

Majority cotton protective clothing

Respiratory protection:

In the event of insufficient ventilation: Gas mask with filter type AX. In a confined area: Self-contained breathing apparatus

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Press. Gas (Liq.).
Colour : Colourless.
Odour : No data available
Odour threshold : No data available
pH : Not applicable
Relative evaporation rate (butylacetate=1) : No data available
Melting point : -155 °C

Freezing point : No data available

: -82 °C Boiling point : None Flash point Critical temperature : 25.9 °C : 765 °C Auto-ignition temperature Decomposition temperature : 1150 °C Flammability (solid, gas) : Non flammable. Vapour pressure : 47.1 bar (25°C) Critical pressure : 48.3 bar Relative vapour density at 20 °C : 2.42 (25°C) Relative density : No data available

Density : 806 kg/m³ (20°C)
Solubility : Water: 0.838 g/l (25°C)

Partition coefficient n-octanol/water (Log Pow) : 0.84

Viscosity, kinematic : No data available Viscosity, dynamic : No data available

Explosive properties : Not explosive material according to EC criteria.

Oxidising properties : Non oxidizing material according to EC criteria.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Contains gas under pressure; may explode if heated.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

Danger of explosion on contact with: Metallic powders.

10.4. Conditions to avoid

Ignition sources. Heat or source of heat. Avoid contact with hot surfaces.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

Strong oxidizing agents. alkali metals. Alkaline earth metals. Metallic powders. Powdered metallic salts.

10.6. Hazardous decomposition products

On thermal decomposition (pyrolysis), releases: Carbon oxides (CO, CO2), Hydrogen fluoride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified Additional information : Asphyxiating

Trifluoromethane (75-46-7)

LC50 Inhalation - Rat [ppm] > 663000 ppm/4h

Skin corrosion/irritation : Not classified

pH: Not applicable

Additional information : Contact with the liquid the may cause cold burns/frostbite

Serious eye damage/irritation : Not classified

pH: Not applicable

Additional information : Contact with the liquefied gas may cause severe ocular lesions

Respiratory or skin sensitisation Not classified Germ cell mutagenicity Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

: Not classified STOT-single exposure

STOT-repeated exposure : Not classified

Trifluoromethane (75-46-7)

NOAEC (inhalation, rat, vapour, 90 days) 28634 mg/l/6h/day

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Trifluoromethane (75-46-7)	
LC50 fish 1 633.26 mg/l 96 Hours (Pimephales promelas)	
EC50 Daphnia 1	323.05 mg/l 48 Hours (Daphnia magna)
EC50 96h algae (1)	154.54 mg/l (96 Hours)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability

Trifluoromethane (75-46-7)	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

R-23 (75-46-7)	
Partition coefficient n-octanol/water (Log Pow)	0.84

Trifluoromethane (75-46-7)		
Bioconcentration factor (BCF REACH) 3.2		
Partition coefficient n-octanol/water (Log Pow)	0.84	
Bioaccumulative potential	Bioaccumulation unlikely.	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
` '	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Other adverse effects : Ozone depletion factor ODP (R-11=1) = 0. Total global warming potential (GWP) : 14800.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations


- : Do not allow product to spread into the environment.
- : Refer to manufacturer or supplier for information on recovery or recycling. Return to the supplier. Destroy at an authorised site.
- Additional information : The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG

ADR	IMDG	IATA		
14.1. UN number	14.1. UN number			
UN 1984	UN 1984	UN 1984		
14.2. UN proper shippin	g name			
TRIFLUOROMETHANE (REFRIGERANT GAS R 23)	TRIFLUOROMETHANE (REFRIGERANT GAS R 23)	Trifluoromethane		
Transport document descr	Transport document description			
UN 1984 TRIFLUOROMETHANE (REFRIGERANT GAS R 23), 2.2, (C/E)	UN 1984 TRIFLUOROMETHANE (REFRIGERANT GAS R 23), 2.2	UN 1984 Trifluoromethane, 2.2		

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



14.6. Special precautions for user

Overland transport

Classification code (ADR) : 2A
Special provisions (ADR) : 662
Limited quantities (ADR) : 120ml
Tank code (ADR) : PxBN(M)
Transport category (ADR) : 3
Hazard identification number (Kemler No.) : 20

Orange plates

20 1984

Tunnel restriction code (ADR) : C/E EAC code : 2T

Transport by sea

Limited quantities (IMDG) : 120 ml
EmS-No. (Fire) : F-C
EmS-No. (Spillage) : S-V

Air transport

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : 200
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 200
CAO max net quantity (IATA) : 150kg

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

R-23 is not on the REACH Candidate List

R-23 is not on the REACH Annex XIV List

R-23 is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

R-23 is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information, restriction and prohibition regulations

: $\,^{\star}$ Regulation (EC) No 517/2014 : Greenhouse fluorinated gas falling within Kyoto Protocol.

15.1.2. National regulations

Ensure all national/local regulations are observed.

15.2. Chemical safety assessment

Not applicable.

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
1.2	Use of the substance/mixture	Modified	

Other information

: For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

Full text of H- and EUH-statements:	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
H280	Contains gas under pressure; may explode if heated.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.