

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Reference number: 100140100 Revision date: 3/6/2024 Supersedes version of: 9/20/2022 Version: 13.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

: R-717 (ANHYDROUS AMMONIA NH3) Name

Chemical name : AMMONIA, ANHYDROUS

EC Index-No. : 007-001-00-5 : 231-635-3 EC-No. CAS-No. 7664-41-7 REACH registration No. 01-2119488876-14 Product code 100140100

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Refrigerant

Full text of use descriptors: see section 16

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Dehon Service SAS 26 Avenue du Petit Parc 94683 VINCENNES Cedex

France

T 01 43 98 75 00. F 01 43 98 21 51 ContactFDS@climalife.dehon.com

#### Other

Climalife Kft Budepesta sucurcala Bucuresti Romania

Bulevardul Hristo Botev, Nr. 28,

Biroul NR 4, Modulul I Bucuresti Sectorul 3

Romania

ContactFDS@climalife.dehon.com

#### Other

Dehon Kälte-Fachvertriebs GmbH Robert-Bosch-Strasse 14

40668 MEERBUSCH

Germany

T 00 49 2150 7073 0, F 00 49 2150 7073 17

ContactFDS@climalife.dehon.com

#### Other

Dehon Service Belgium s.a/n.v. Avenue Carton de Wiart, 79

1090 Bruxelles

T 00 32 2 421 01 70, F 00 32 2 426 96 62

ContactFDS@climalife.dehon.com

## Other

Friogas sa

Poligono Industrial SEPES

Parcela 10

46500 SAGUNTO (Valencia)

T 00 34 9 6 266 36 32, F 00 34 9 6 266 50 25

ContactFDS@climalife.dehon.com

#### Other

Climalife Hongrie Kft Villányi út 47 1118 Budaörs Hungary

T (36) 23 431 660, F (36) 23 431 661 ContactFDS@climalife.dehon.com

#### Other

Climalife Supplied by Inventec Performance Chemicals Italia SRL

Via del Lavoro, 10/G 20874 Busnago MB

T +39 39-5973480, F +39 39-5973490 ContactFDS@climalife.dehon.com

## Other

Dehon nordic service Östra Hamngatan 50B 3tr 41109 GÖTEBORG

Sweden

T 00 46 735 01 90 50

ContactFDS@climalife.dehon.com

#### Other

Dehon Service Nerderland B.V. Van Konijnenburgweg 84 NL-4612 PL Bergen Op Zoom

Netherlands

T 00 31 164 212 830, F 00 31 164 212 831 ContactFDS@climalife.dehon.com

#### Other

Galco s.a/n.v.

Avenue Carton de Wiart, 79

1090 BRUSSELS

Belgium

T 00 32 2 421 01 84, F 00 32 2 421 01 84 / 00 32 2 425 38 12

ContactFDS@climalife.dehon.com

3/6/2024 (Revision date) GB - en 1/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other Other

Prochimac SA IDS Refrigeration Limited

ZI Petits Champs 15 22 Apex Court, Woodlands, Bradley Stoke CH-1400 Yverdon-les-Bains BS32 4JT Bristol

Switzerland United Kingdom

T 00 41 32 727 36 00, F 00 41 32 727 36 19 T 00 44 1179 802520, F 00 44 1179 802521

ContactFDS@climalife.dehon.com

#### 1.4. Emergency telephone number

ContactFDS@climalife.dehon.com

Emergency number : +33 (0) 1 72 11 00 03

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Gas 2 H221
Press. Gas (Liq.) H280
Acute Tox. 3 (Inhalation:gas) H331
Skin Corr. 1B H314
Eye Dam. 1 H318
Aquatic Acute 1 H400
Aquatic Chronic 2 H411
Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS05

GHS06

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H221 - Flammable gas.

H280 - Contains gas under pressure; may explode if heated.

H314 - Causes severe skin burns and eye damage.

H331 - Toxic if inhaled.

H400 - Very toxic to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, open flames, hot surfaces, sparks. – No smoking.

P260 - Do not breathe spray, mist, fume, gas, dust, vapours. P280 - Wear protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340+P310 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER, a doctor.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

EUH-statements : EUH071 - Corrosive to the respiratory tract.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 2.3. Other hazards

Other hazards which do not result in classification

: Flammable or explosive vapour/air mixtures may be formed. Contact with the liquefied gas

may cause frostbite. Contains gas under pressure; may explode if heated.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name : R-717 (ANHYDROUS AMMONIA NH3)

CAS-No. : 7664-41-7 EC-No. : 231-635-3 EC Index-No. : 007-001-00-5

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ammonia, anhydrous	CAS-No.: 7664-41-7 EC-No.: 231-635-3 EC Index-No.: 007-001-00-5 REACH-no: 01-2119488876- 14	100	Flam. Gas 2, H221 Press. Gas (Liq.), H280 Acute Tox. 3 (Inhalation), H331 (ATE=700 ppmv/4h) Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

### 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Do not enter without an appropriate protective equipment. Self-contained breathing

apparatus. Protective clothing.

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. Allow the

victim to rest.

First-aid measures after skin contact : Immediately rinse with plenty of water (for at least 15 minutes). If skin burns appear, call a

doctor immediately.

First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes

minimum). Consult an eye specialist immediately.

First-aid measures after ingestion : Not specifically applicable (gas).

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Dry/sore throat. Irritation of the respiratory tract. Irritation of the nasal mucous membranes.

Dizziness, headaches, nausea. Pulmonary oedema.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes. Lacrimation. Symptoms/effects after ingestion : None under normal conditions.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Powders. Carbon dioxide.

Unsuitable extinguishing media : Strong water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Contains gas under pressure; may explode if heated. Contact with combustible material

may cause fire.

Explosion hazard : Gas/air mixtures are explosive.

Hazardous decomposition products in case of fire : During combustion: Toxic and corrosive gases are released, toxic and corrosive vapours,

Hydrogen, Nitrous fumes.

#### 5.3. Advice for firefighters

Firefighting instructions : Cool down the containers exposed to heat with a water spray. Never introduce water or any

aqueous agent into tanks or containers. Contain the extinguishing fluids by bunding (the

product is hazardous for the environment).

Protection during firefighting : Self-contained breathing apparatus. Impermeable boots and protective equipment.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate the danger area. Evacuate unnecessary personnel. Evacuate area. Do not

breathe vapours. Do not breathe gas.

6.1.2. For emergency responders

Protective equipment : Breathing apparatus. Eliminate all ignition sources if safe to do so.

Emergency procedures : Remove all sources of ignition.

## 6.2. Environmental precautions

Prevent the product from entering drains (risk of explosion). Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Spray with water. Neutralize with : acidic solution. Absorb with : dry sand, inert absorbent

material.

Methods for cleaning up : Dispose of contaminated materials in accordance with current regulations. Wash

contaminated area with large amounts of water.

## 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing spray, mist, fume, gas, dust, vapours. Work in a well-ventilated area.

Material and equipment suitable for use under explosive conditions. Avoid any direct contact with the product. Avoid the build-up of electrostatic charge. Keep away from sources of

ignition - No smoking.

Hygiene measures : Do not drink, eat or smoke in the workplace. Always wash hands after handling the product.

Separate working clothes from town clothes. Launder separately.

3/6/2024 (Revision date) GB - en 4/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Anti-corrosion electrical installations.

Storage conditions : Store : away from direct sunlight, away from any source of heat, away from any source of

ignition. Store in dry, cool, well-ventilated area.

Incompatible materials : Oxidizing materials. Halogens. Acids. Metals.

Special rules on packaging : In the presence of humidity corrodes copper, zinc and numerous alloys.

Packaging materials : Packaging material: Steel, Galvanized iron, Carbon steel, Stainless steel. Unsuitable

materials: Aluminium, copper, Tin, Zinc.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

ammonia, anhydrous (7664-41-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Ammonia, anhydrous	
IOEL TWA	14 mg/m³	
	20 ppm	
IOEL STEL	36 mg/m³	
	50 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits	
Local name	Ammonia, anhydrous	
WEL TWA (OEL TWA)	18 mg/m³	
	25 ppm	
WEL STEL (OEL STEL)	25 mg/m³	
	35 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

R-717 (ANHYDROUS AMMONIA NH3) (7664-41-7)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	6.8 mg/kg bodyweight/day
Acute - systemic effects, inhalation	47.6 mg/m³
Acute - local effects, inhalation	36 mg/m³
Long-term - systemic effects, dermal	6.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	47.6 mg/m³
Long-term - local effects, inhalation	14 mg/m³

3/6/2024 (Revision date) GB - en 5/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

R-717 (ANHYDROUS AMMONIA NH3) (7664-41-7)		
DNEL/DMEL (General population)		
Acute - systemic effects, dermal	68 mg/kg bodyweight	
Acute - systemic effects, inhalation	23.8 mg/m³	
Acute - systemic effects, oral	6.8 mg/kg bodyweight	
Acute - local effects, inhalation	7.2 mg/m³	
Long-term - systemic effects,oral	6.8 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	23.8 mg/m³	
Long-term - systemic effects, dermal	68 mg/kg bodyweight/day	
Long-term - local effects, inhalation	2.8 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	0.0011 mg/l	
PNEC aqua (marine water)	0.0011 mg/l	
PNEC aqua (intermittent, freshwater)	0.0068 mg/l	
PNEC aqua (intermittent, marine water)	0.0068 mg/l	

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No additional information available

## 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Face shield. Safety glasses with side shields

## 8.2.2.2. Skin protection

#### Skin and body protection:

Use chemically protective clothing. EN 943-1. Safety foot-wear. EN ISO 20345

## Hand protection:

Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent). EN 388. EN 511. Butyl-rubber protective gloves. Protective gloves made of Viton

# 8.2.2.3. Respiratory protection

#### Respiratory protection:

Mask with {0} canister AXBEK (EN 14387)

## 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

#### Other information:

Safety shower. Eye fountain.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Colour Colourless. : Liquefied gas. **Appearance** Molecular mass : 17.03 g/mol Odour : Pungent. Odour threshold : 1 - 50 ppm Melting point : -78 °C : Not applicable Freezing point Boiling point : -33.5 °C Flammability : Flammable gas.

Explosive properties : Not explosive material according to EC criteria.

Oxidising properties : Non oxidizing material according to EC criteria.

Lower explosion limit : 15.4 vol % Lower explosive limit (LEL)

Upper explosion limit : 33.6 vol % Upper explosive limit (UEL)

Flash point : Not applicable
Auto-ignition temperature : 651 °C
Decomposition temperature : 498 °C
pH : Not applicable
Viscosity, kinematic : Not applicable

Solubility : Material highly soluble in water.

Water: 520 g/l (20°C)

: Not applicable

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 8571 hPa at 20 °C Vapour pressure at 50 °C : 20320 hPa Critical pressure : 113.53 bar

Density : 638 kg/m³ liquid products

Relative density : Not applicable
Relative vapour density at 20°C : 0.597
Particle characteristics : Not applicable

### 9.2. Other information

Viscosity, dynamic

### 9.2.1. Information with regard to physical hazard classes

Critical temperature : 132.35 °C

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : No data VOC content : Not applicable.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Exothermic reaction with water.

## 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

## 10.3. Possibility of hazardous reactions

In use, may form flammable vapour-air mixture. Danger of explosion on contact with : Alcohol, Halogens (F, Cl, Br, I), Acetic aldehyde, Hypochlorous acid. May react violently with oxidants.

#### 10.4. Conditions to avoid

Contains gas under pressure; may explode if heated.

# Safety Data Sheet

Additional information

Serious eye damage/irritation

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 10.5. Incompatible materials

Acids. Certain plastics, rubbers and coatings. gold, silver, mercury. In the presence of water, it attacks: Copper and its alloys, zinc. Oxidizing agents. Halogens (F, Cl, Br, I).

## 10.6. Hazardous decomposition products

On combustion or on thermal decomposition (pyrolysis) releases: Hydrogen, Nitrogen oxides.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Inhalation:gas: Toxic if inhaled.

Additional information : Risks of oedema and respiratory failure

ammonia, anhydrous (7664-41-7)	
LD50 oral rat	350 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LC50 Inhalation - Rat	11.59 mg/l

Skin corrosion/irritation : Corrosive. (OECD 404 method)

pH: Not applicable: Causes severe burns: Causes serious eye burnspH: Not applicable

Respiratory or skin sensitisation : No sensitizing effect known Germ cell mutagenicity : No mutagenic effect Carcinogenicity : No carcinogenic effect

ammonia, anhydrous (7664-41-7)	
NOAEL (chronic, oral, animal/male, 2 years)	256 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (chronic, oral, animal/female, 2 years)	284 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Reproductive toxicity : No mutagenic effect. No teratogenic effect

STOT-single exposure : Irritating to respiratory system

R-717 (ANHYDROUS AMMONIA NH3) (7664-41-7)	
NOAEL (oral, rat)	(OECD 422 method)
ammonia, anhydrous (7664-41-7)	
LOAEL (oral, rat)	750 mg/kg bodyweight (OCDE 422)
NOAEL (oral, rat)	250 mg/kg bodyweight
NOAEL (acute, oral, animal/male) 250 mg/kg bodyweight (OCDE 422)	
STOT-repeated exposure : No data	

STOT-repeated exposure : No data
Aspiration hazard : Not applicable.

	R-717 (ANHYDROUS AMMONIA NH3) (7664-41-7)	
Viscosity, kinematic Not applicable		Not applicable

3/6/2024 (Revision date) GB - en 8/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

#### 11.2.2. Other information

Other information

: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Coughing. Irritation of the respiratory tract. Irritation of the eye tissue. Redness of the eye tissue. Possible inflammation of the respiratory tract. Respiratory difficulties. Affection of the nasal septum.

### **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - water

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term (chronic)

: Toxic to aquatic life with long lasting effects.

: Very toxic to aquatic life.

: Very toxic to aquatic life.

ammonia, anhydrous (7664-41-7)		
LC50 - Fish [1]	0.75 – 3.4 mg/l Test organisms (species): Pimephales promelas	
LC50 - Fish [2]	34 – 109 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	2.08 – 4.94	
LOEC (chronic)	1.3 mg/l Test organisms (species): Daphnia magna Duration: '96 h'	
NOEC (chronic)	0.79 mg/l Test organisms (species): Daphnia magna Duration: '96 h'	
NOEC chronic fish	1.2 mg/l Test organisms (species): Oncorhynchus gorbuscha Duration: '61 d'	

## 12.2. Persistence and degradability

R-717 (ANHYDROUS AMMONIA NH3) (7664-41-7)	
Persistence and degradability Readily biodegradable in water.	
ammonia, anhydrous (7664-41-7)	
Persistence and degradability Readily biodegradable in water.	

## 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

3/6/2024 (Revision date) 9/13 GB - en

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 12.7. Other adverse effects

Other adverse effects : May cause pH changes in aqueous ecological systems. ODP (R-11=1)=0.

Additional information : No other effects known

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations

European List of Waste (LoW, EC 2000/532)

Additional information

- : Comply with local regulations for disposal.
- : Destroy at an authorised site. The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.
- : 16 05 04\* gases in pressure containers (including halons) containing dangerous

substances

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA	
14.1. UN number or ID number			
UN 1005	UN 1005	UN 1005	
14.2. UN proper shipping name			
AMMONIA, ANHYDROUS	AMMONIA, ANHYDROUS	Ammonia, anhydrous	
Transport document description			
UN 1005 AMMONIA, ANHYDROUS, 2.3 (8), (C/D), ENVIRONMENTALLY HAZARDOUS	UN 1005 AMMONIA, ANHYDROUS, 2.3 (8), MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1005 Ammonia, anhydrous, 2.3 (8), ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard class(es)			
2.3 (8)	2.3 (8)	2.3 (8)	
2 8	2 8	2 8	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	
No supplementary information available			

## 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : 2TC
Special provisions (ADR) : 23
Limited quantities (ADR) : 0
Tank code (ADR) : PxBH(M)
Transport category (ADR) : 1
Hazard identification number (Kemler No.) : 268

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Orange plates :

**268 1005** 

Tunnel restriction code (ADR) : C/D EAC code : 2RE APP code : A(c)

Transport by sea

Special provisions (IMDG) : 23
Limited quantities (IMDG) : 0
EmS-No. (Fire) : F-C
EmS-No. (Spillage) : S-U

Flash point (IMDG) : Not applicable

Air transport

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity (IATA) : Forbidden
PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : Forbidden
CAO max net quantity (IATA) : Forbidden
Special provisions (IATA) : A2

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
40.	R-717 (ANHYDROUS AMMONIA NH3) ; ammonia, anhydrous

### **REACH Annex XIV (Authorisation List)**

Not listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Not listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Not listed on the PIC list (Regulation EU 649/2012)

#### **POP Regulation (Persistent Organic Pollutants)**

Not listed on the POP list (Regulation EU 2019/1021)

# Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

## **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

## VOC Directive (2004/42)

VOC content : Not applicable.

3/6/2024 (Revision date) GB - en 11/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

Ensure all national/local regulations are observed.

## 15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier Cf. exposure scenario

# **SECTION 16: Other information**

#### Indication of changes:

All chapters have been modified since the previous version.

Other information : Product for industrial use only.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
EUH071	Corrosive to the respiratory tract.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Gas 2	Flammable gases, Category 2	
H221	Flammable gas.	
H280	Contains gas under pressure; may explode if heated.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	

Full text of use descriptors		
ERC4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)	
ERC5	Use at industrial site leading to inclusion into/onto article	
ERC6b	Use of reactive processing aid at industrial site (no inclusion into or onto article)	
ERC7	Use of functional fluid at industrial site	
ERC8b	Widespread use of reactive processing aid (no inclusion into or onto article, indoor)	
ERC8e	Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)	

3/6/2024 (Revision date) GB - en 12/13

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of use descriptors		
ERC8f	Widespread use leading to inclusion into/onto article (outdoor)	
ERC9b	Widespread use of functional fluid (outdoor)	
PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions	
PROC13	Treatment of articles by dipping and pouring	
PROC15	Use as laboratory reagent	
PROC2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
PROC20	Use of functional fluids in small devices	
PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition	
PROC4	Chemical production where opportunity for exposure arises	
PROC5	Mixing or blending in batch processes	
PROC8a	Transfer of substance or mixture (charging and discharging) at non-dedicated facilities	
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities	
PROC9	Transfer of substance or preparation into small containers (dedicated filling line, including weighing)	
SU3	Industrial uses: Uses of substances as such or in preparations at industrial sites	
SU4	Manufacture of food products	
SU5	Manufacture of textiles, leather, fur	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.