

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Name : R-513A  
Product code : 100151300

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Use of the substance/mixture : Refrigerant

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Dehon Service SAS  
26 Avenue du Petit Parc  
94683 VINCENNES Cedex  
France  
T 01 43 98 75 00, F 01 43 98 21 51  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Climalife Kft Budepesta sucursal Bucuresti Romania  
Bulevardul Hristo Botev, Nr. 28,  
Biroul NR 4, Modulul I  
Bucuresti Sectorul 3  
Romania  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Dehon Kälte-Fachvertriebs GmbH  
Robert-Bosch-Strasse 14  
40668 MEERBUSCH  
Germany  
T 00 49 2150 7073 0 , F 00 49 2150 7073 17  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Dehon Service Belgium s.a/n.v.  
Avenue Carton de Wiart, 79  
1090 Bruxelles  
Belgium  
T 00 32 2 421 01 70, F 00 32 2 426 96 62  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Friogas sa  
Poligono Industrial SEPES  
Parcela 10  
46500 SAGUNTO (Valencia)  
Spain  
T 00 34 9 6 266 36 32, F 00 34 9 6 266 50 25  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Prochimac SA  
ZI Petits Champs 15  
CH-1400 Yverdon-les-Bains  
Switzerland  
T 00 41 32 727 36 00, F 00 41 32 727 36 19  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

##### Other

Climalife Hongrie Kft.  
Villányi út 47  
1118 Budapest  
Hungary  
T (36) 23 431 660  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Climalife Supplied by Inventec Performance Chemicals Italia SRL  
Via del Lavoro, 10/G  
20874 Busnago MB  
Italia  
T +39 39-5973480, F +39 39-5973490  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Dehon nordic service  
Östra Hamngatan 50B 3tr  
41109 GÖTEBORG  
Sweden  
T 00 46 735 01 90 50  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Dehon Service Nerderland B.V.  
Van Konijnenburgweg 84  
NL-4612 PL Bergen Op Zoom  
Netherlands  
T 00 31 164 212 830, F 00 31 164 212 831  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

IDS Refrigeration Limited  
22 Apex Court, Woodlands, Bradley Stoke  
BS32 4JT Bristol  
United Kingdom  
T 00 44 1179 802520, F 00 44 1179 802521  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Galco s.a/n.v.  
Avenue Carton de Wiart, 79  
1090 BRUSSELS  
Belgium  
T 00 32 2 421 01 84 , F 00 32 2 421 01 84 / 00 32 2 425 38 12  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Climalife Asia Corporation  
Room 302-A82, No.3, Building 1509, Xin Zhen Road,  
201101 Shanghai , Minhang District  
China  
T +86 21 6442 3972 , F +86 21 6442 3952  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

Galco Singapore Branch  
135 Cecil Street #10-01  
Singapore  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

### Other

Teknalys Middle East FZCO  
B34BS33O203, Jebel Ali Freezone  
Dubai  
United Arab Emirates  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

### 1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Press. Gas (Liq.) H280  
Full text of hazard classes, H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Contact with the liquid may cause frostbite and serious damage to eyes.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS04

Signal word (CLP) : Warning  
Hazard statements (CLP) : H280 - Contains gas under pressure; may explode if heated.  
Precautionary statements (CLP) : P403 - Store in a well-ventilated place.  
Extra phrases : Greenhouse fluorinated gas falling within Kyoto Protocol (GWP=629).

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

#### Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	1,1,1,2-Tetrafluoroethane (811-97-2), 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)
--	--

# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Component

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	1,1,1,2-Tetrafluoroethane (811-97-2), 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)
---	--

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,3,3,3-Tetrafluoroprop-1-ene	CAS-No.: 754-12-1 EC-No.: 468-710-7 REACH-no: 01-0000019665-61	56	Flam. Gas 1B, H221 Press. Gas (Liq.), H280
1,1,1,2-Tetrafluoroethane	CAS-No.: 811-97-2 EC-No.: 212-377-0 REACH-no: 01-2119459374-33	44	Press. Gas (Liq.), H280

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: In the event of contact with the liquid: treat resulting frostbite as a burn. Immediately remove contaminated clothing or footwear. Immediately rinse with plenty of water. If skin burns appear, call a doctor immediately.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Consult an eye specialist immediately.
First-aid measures after ingestion	: Not specifically applicable (gas).

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: CNS depression. Narcosis. Cardiac disorders. Lack of oxygen: risk of death.
------------------	---

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: All extinguishing agents can be used.
Unsuitable extinguishing media	: None to our knowledge. If there is a fire close by, use suitable extinguishing agents.

### 5.2. Special hazards arising from the substance or mixture

Explosion hazard	: pressure rise and possible bursting of container. On heating : Toxic and corrosive vapours are released.
Hazardous decomposition products in case of fire	: Thermal decomposition generates : Carbon oxides (CO, CO2), Hydrogen halogenides, Carbonyl halogenides, fluorinated compounds.

# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers.  
Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin and eyes. Remove all sources of ignition. Do not smoke. Evacuate the danger area. Do not breathe smoke. Stop the leak.  
No additional information available

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

- Other information : Mechanically ventilate the spillage area.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid breathing mist, vapours. Do not get in eyes, on skin, or on clothing. Ventilation. Vapours are heavier than air and may spread along floors. Under certain temperature and pressure conditions may form a flammable mixture in the presence of air. Do not use joint paste that may contain peroxides.  
Hygiene measures : Do not drink, eat or smoke in the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store : in a cool, well-ventilated area, away from any source of heat, away from any source of ignition.  
Incompatible materials : Strong oxidizing agents. Alkaline hydroxide. Alkaline earth metals. Finely divided metals (Al, Mg, Zn).  
Packaging materials : Recommended materials Stainless steel, Carbon steel. Do not use : Alloys containing more than 2% magnesium, Plastic materials.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### National occupational exposure and biological limit values

R-513A	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	4240 mg/m <sup>3</sup>
	1000 ppm

# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,1,1,2-Tetrafluoroethane (811-97-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	4240 mg/m³
	1000 ppm
United Kingdom - Occupational Exposure Limits	
Local name	1,1,1,2-Tetrafluoroethane (HFC 134a)
WEL TWA (OEL TWA)	4240 mg/m³
	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	500 ppm (recommended)

DNEL and PNEC

R-513A	
PNEC (Water)	
PNEC aqua (intermittent, freshwater)	1 mg/l
1,1,1,2-Tetrafluoroethane (811-97-2)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	13936 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	2476 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.1 mg/l
PNEC aqua (marine water)	0.01 mg/l
PNEC aqua (intermittent, freshwater)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.75 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	73 mg/l
2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	186400 mg/m³
Long-term - systemic effects, inhalation	950 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	186400 mg/m³
Long-term - systemic effects, inhalation	113.1 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.1 mg/l
PNEC aqua (marine water)	0.01 mg/l

# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)

PNEC aqua (intermittent, freshwater)	1 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	1.51 mg/kg dwt
PNEC sediment (marine water)	0.151 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	1.49 mg/kg dwt

### 8.2. Exposure controls

#### Personal protection equipment

##### Eye and face protection

###### Eye protection:

Safety glasses with side shields

##### Skin protection

###### Skin and body protection:

Majority cotton protective clothing

###### Hand protection:

Leather protective gloves. Nitrile-rubber protective gloves. VITON gloves

##### Respiratory protection

###### Respiratory protection:

In the event of insufficient ventilation: Gas mask with filter type AX. In a confined area : Self-contained breathing apparatus

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Gas
Colour	: Colourless.
Appearance	: Press. Gas (Liq.).
Molecular mass	: 108.43 g/mol
Odour	: slightly ethereal.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not applicable
Boiling point	: -29.58 °C
Flammability	: Non flammable.
Explosive properties	: Not explosive material according to EC criteria.
Oxidising properties	: Non oxidizing material according to EC criteria.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: None
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: Not applicable
Solubility	: Insoluble in water. Water: 8.76 %
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 7.13 bar (25°C)
Vapour pressure at 50°C	: 13.77 bar (50°C)
Critical pressure	: 38.55 bar
Density	: 1134 kg/m³ (25°C)
Relative density	: Not applicable
Relative vapour density at 20°C	: Not available

# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Particle characteristics : Not applicable

### 9.2. Other information

#### Information with regard to physical hazard classes

Critical temperature : 97.7 °C

#### Other safety characteristics

VOC content : 100 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Decomposes on exposure to temperature rise.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No information available. No polymerization.

### 10.4. Conditions to avoid

Under certain temperature and pressure conditions may form a flammable mixture in the presence of air. Avoid high temperatures. Avoid naked flame.

### 10.5. Incompatible materials

Do not use joint paste that may contain peroxides. Alkalis and caustic products. alkali metals. Alkaline earth metals. Finely divided metals (Al, Mg, Zn). Strong oxidizing agents.

### 10.6. Hazardous decomposition products

On thermal decomposition (pyrolysis), releases : Hydrogen fluoride, Carbon oxides (CO, CO<sub>2</sub>), Fluorinated hydrocarbons, Carbonyl halogenides.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

1,1,1,2-Tetrafluoroethane (811-97-2)	
LC50 Inhalation - Rat [ppm]	> 500000 ppm/4h

2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)	
LC50 Inhalation - Rat [ppm]	> 400000 ppm/4h

Skin corrosion/irritation : Not classified  
pH: Not applicable  
Additional information : Contact with the liquid causes frostbite

1,1,1,2-Tetrafluoroethane (811-97-2)	
pH	Not applicable

Serious eye damage/irritation : Not classified  
pH: Not applicable  
Additional information : Contact with the liquefied gas may cause severe ocular lesions

1,1,1,2-Tetrafluoroethane (811-97-2)	
pH	Not applicable

# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified

### 1,1,1,2-Tetrafluoroethane (811-97-2)

NOAEL (chronic, oral, animal/male, 2 years) 300 mg/kg bodyweight rat

Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

### R-513A

NOAEC (inhalation, rat, gas, 90 days) 50000 ppm Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

### 1,1,1,2-Tetrafluoroethane (811-97-2)

NOAEC (inhalation, rat, gas, 90 days) 50000 ppm Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

### 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)

NOAEL (subacute, dermal, 28 days) > mg/kg bodyweight/day

NOAEL (subacute, dermal, animal/male, 28 days) > mg/kg bodyweight/day

Aspiration hazard : Not applicable

### 1,1,1,2-Tetrafluoroethane (811-97-2)

Viscosity, kinematic 0.162 mm²/s

## 11.2. Information on other hazards

### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### R-513A

EC50 72h - Algae [2] > 114 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

### 1,1,1,2-Tetrafluoroethane (811-97-2)

LC50 - Fish [1] 450 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)

EC50 - Crustacea [1] 980 mg/l 48 Hours (Daphnia magna)

EC50 72h - Algae [1] > 118 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

EC50 72h - Algae [2] > 114 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)



# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)	
LC50 - Fish [1]	> 197 mg/l Test organisms (species): Cyprinus carpio
LC50 - Fish [2]	33 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	65 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	> 2.5 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	> 15.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	15.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	2.7 mg/l Test organisms (species): Cyprinus carpio Duration: '28 d'

### 12.2. Persistence and degradability

R-513A	
Persistence and degradability	Not established.
1,1,1,2-Tetrafluoroethane (811-97-2)	
Persistence and degradability	Photodegradation in the air :, Half-life in air : 9,7 y, 3 % biodegradation after 28 days.
2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)	
Persistence and degradability	Not readily biodegradable.

### 12.3. Bioaccumulative potential

1,1,1,2-Tetrafluoroethane (811-97-2)	
Partition coefficient n-octanol/water (Log Pow)	1.06
2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)	
Partition coefficient n-octanol/water (Log Pow)	2.15

### 12.4. Mobility in soil

1,1,1,2-Tetrafluoroethane (811-97-2)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.5

### 12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	1,1,1,2-Tetrafluoroethane (811-97-2), 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	1,1,1,2-Tetrafluoroethane (811-97-2), 2,3,3,3-Tetrafluoroprop-1-ene (754-12-1)

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

R-513A
Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.7. Other adverse effects

Other adverse effects : ODP (R-11=1)=0.
Additional information : GWP (CO2=1/100 years) = 629




SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Methods of disposal of packaging. Reuse or recycle following decontamination. Destroy at an authorised site.
Additional information : The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 3163	UN 3163	UN 3163
14.2. UN proper shipping name		
LIQUEFIED GAS, N.O.S. (2,3,3,3-Tetrafluoroprop-1-ene ; 1,1,1,2-Tetrafluoroethane)	LIQUEFIED GAS, N.O.S. (2,3,3,3-Tetrafluoroprop-1-ene ; 1,1,1,2-Tetrafluoroethane)	Liquefied gas, n.o.s. (2,3,3,3-Tetrafluoroprop-1-ene ; 1,1,1,2-Tetrafluoroethane)
Transport document description		
UN 3163 LIQUEFIED GAS, N.O.S. (2,3,3,3-Tetrafluoroprop-1-ene ; 1,1,1,2-Tetrafluoroethane), 2.2, (C/E)	UN 3163 LIQUEFIED GAS, N.O.S. (2,3,3,3-Tetrafluoroprop-1-ene ; 1,1,1,2-Tetrafluoroethane), 2.2	UN 3163 Liquefied gas, n.o.s. (2,3,3,3-Tetrafluoroprop-1-ene ; 1,1,1,2-Tetrafluoroethane), 2.2
14.3. Transport hazard class(es)		
2.2	2.2	2.2
		
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-C EmS-No. (Spillage): S-V	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : 2A
Special provisions (ADR) : 274, 392, 662
Limited quantities (ADR) : 120ml
Tank code (ADR) : PxBN(M)
Transport category (ADR) : 3
Hazard identification number (Kemler No.) : 20

# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Orange plates



Tunnel restriction code (ADR)

: C/E

EAC code

: 2TE

### Transport by sea

Special provisions (IMDG)

: 274, 392

Limited quantities (IMDG)

: 120 ml

### Air transport

PCA Limited quantities (IATA)

: Forbidden

PCA limited quantity max net quantity (IATA)

: Forbidden

PCA packing instructions (IATA)

: 200

PCA max net quantity (IATA)

: 75kg

CAO packing instructions (IATA)

: 200

CAO max net quantity (IATA)

: 150kg

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

Other information, restriction and prohibition regulations

: \* Regulation (EC) No 517/2014 : Greenhouse fluorinated gas falling within Kyoto Protocol.

#### REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
40.	2,3,3,3-Tetrafluoroprop-1-ene

#### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### VOC Directive (2004/42)

VOC content : 100 %

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### National regulations

Ensure all national/local regulations are observed.

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Revision date	Modified
	Supersedes	Modified
	Issue date	Added
	UN-No. (RID)	Modified
	Proper Shipping Name (RID)	Modified
	Special provisions (RID)	Modified
	Classification code (RID)	Added
	Proper Shipping Name (IMDG)	Modified
	Special provisions (IMDG)	Modified
	Proper Shipping Name (IATA)	Modified
	Adverse health effects caused by endocrine disrupting properties	Added
	Flash point (IMDG)	Removed
2.2	Precautionary statements (CLP)	Modified
2.2	Extra phrases	Modified
3	Composition/information on ingredients	Modified
8	IOEL TWA	Added
8	IOEL TWA	Added
8.1	PNEC aqua (intermittent, freshwater)	Added
9	VOC content	Added
9	Solubility in water	Added
9	Molecular mass	Added
9	Critical pressure	Modified
9.1	Critical temperature	Modified
11.1	NOAEC (inhalation, rat, gas, 90 days)	Added
12.1	EC50 72h - Algae [2]	Added
12.2	Persistence and degradability	Added
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Added
14.1	UN-No. (ADN)	Modified

# R-513A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Indication of changes		
Section	Changed item	Comments
14.1	UN-No. (ADR)	Modified
14.1	UN-No. (IMDG)	Modified
14.1	UN-No. (IATA)	Modified
14.2	Proper Shipping Name (ADN)	Modified
14.2	Proper Shipping Name (ADR)	Modified
14.6	Special provisions (ADN)	Modified
14.6	Special provisions (ADR)	Modified
15.1	REACH Annex XVII	Added

Other information

: For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

Full text of H- and EUH-statements:	
Flam. Gas 1B	Flammable gases, Category 1B
H221	Flammable gas.
H280	Contains gas under pressure; may explode if heated.
Press. Gas (Liq.)	Gases under pressure : Liquefied gas

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.