

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Name : R-407C  
 Product code : 100040700

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Refrigerant

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Dehon Service SA  
 26 Avenue du Petit Parc  
 94683 VINCENNES Cedex - France  
 T 01 43 98 75 00 - F 01 43 98 21 51  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Climalife Kft Budepesta sucursală Bucuresti Romania  
 Bulevardul Hristo Botev, Nr. 28,  
 Biroul NR 4, Modulul I  
 Bucuresti Sectorul 3 - Romania  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Dehon Kälte-Fachvertriebs GmbH  
 Robert-Bosch-Strasse 14  
 40668 MEERBUSCH - Germany  
 T 00 49 2150 7073 0 - F 00 49 2150 7073 17  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Dehon Service Belgium s.a./n.v.  
 Avenue Carton de Wiart, 79  
 1090 Bruxelles - Belgium  
 T 00 32 2 421 01 70 - F 00 32 2 426 96 62  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Friogas sa  
 Poligono Industrial SEPES  
 Parcela 10  
 46500 SAGUNTO (Valencia) - Spain  
 T 00 34 9 6 266 36 32 - F 00 34 9 6 266 50 25  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

##### Other

Prochimac SA  
 Rue du Château 10  
 CH-2000 NEUCHÂTEL - Switzerland  
 T 00 41 32 727 36 00 - F 00 41 32 727 36 19  
[ContactFDS@climalife.dehon.com](mailto:ContactFDS@climalife.dehon.com)

#### 1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

# R-407C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Press. Gas (Liq.) H280

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Contact with the liquid may cause frostbite and serious damage to eyes.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS04

Signal word (CLP) : Warning  
Hazard statements (CLP) : H280 - Contains gas under pressure; may explode if heated.  
Precautionary statements (CLP) : P410+P403 - Protect from sunlight. Store in a well-ventilated place.  
Extra phrases : Greenhouse fluorinated gas falling within Kyoto Protocol (GWP=1774).

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1,1,1,2-Tetrafluoroethane substance with national workplace exposure limit(s) (CH, DE, GB, SE)	(CAS-No.) 811-97-2 (EC-No.) 212-377-0 (REACH-no) 01-2119459374-33	52	Press. Gas (Liq.), H280
Pentafluoroethane substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (CZ, SE)	(CAS-No.) 354-33-6 (EC-No.) 206-557-8 (REACH-no) 01-2119485636-25	25	Press. Gas (Liq.), H280
Difluoromethane substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (CZ)	(CAS-No.) 75-10-5 (EC-No.) 200-839-4 (REACH-no) 01-2119471312-47	23	Flam. Gas 1, H220 Press. Gas (Liq.), H280

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If you feel unwell, seek medical advice.  
First-aid measures after skin contact : In the event of contact with the liquid: treat resulting frostbite as a burn. Immediately remove contaminated clothing or footwear. Immediately rinse with plenty of water. If skin burns appear, call a doctor immediately.  
First-aid measures after eye contact : Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Consult an eye specialist immediately.  
First-aid measures after ingestion : Not specifically applicable (gas).

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : CNS depression. Narcosis. Cardiac disorders. Lack of oxygen: risk of death.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing agents can be used.

# R-407C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Unsuitable extinguishing media : None to our knowledge. If there is a fire close by, use suitable extinguishing agents.

### 5.2. Special hazards arising from the substance or mixture

Explosion hazard : pressure rise and possible bursting of container. On heating : Toxic and corrosive vapours are released.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.  
Protection during firefighting : Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Remove all sources of ignition. Do not smoke. Evacuate the danger area. Do not breathe smoke. Stop the leak.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate area.

#### 6.1.2. For emergency responders

Emergency procedures : Evacuate the danger area.

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

Other information : Mechanically ventilate the spillage area.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing mist, vapours. Do not get in eyes, on skin, or on clothing. Ventilation. Vapours are heavier than air and may spread along floors. Under certain temperature and pressure conditions may form a flammable mixture in the presence of air.

Hygiene measures : Do not drink, eat or smoke in the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store : in a cool, well-ventilated area, away from any source of heat, away from any source of ignition.

Incompatible materials : Strong oxidizing agents. Alkaline hydroxide. Alkaline earth metals. Finely divided metals (Al, Mg, Zn).

Packaging materials : Recommended materials: Stainless steel, Carbon steel. Do not use : Alloys containing more than 2% magnesium, Plastic materials.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

R-407C		
Sweden	Anmärkning (SE)	V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)
Pentafluoroethane (354-33-6)		
EU	IOELV TWA (mg/m <sup>3</sup> )	4900 mg/m <sup>3</sup> (recommended)
EU	IOELV TWA (ppm)	1000 ppm (recommended)
Czech Republic	Local name	Pentafluoromethan
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	5000 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (PEL) (ppm)	1020 ppm
Czech Republic	Regulatory reference	Nařízení vlády č. 361/2007 Sb. (zapracovány změny č. 93/2012 Sb., 9/2013 Sb.)
Germany	TRGS 910 Acceptable concentration notes	
Sweden	Local name	1,1,1,2,2-Pentafluoretan
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	2500 mg/m <sup>3</sup>

# R-407C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Pentafluoroethane (354-33-6)		
Sweden	nivågränsvärde (NVG) (ppm)	500 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	3750 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	750 ppm
Sweden	Anmärkning (SE)	V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)
Sweden	Regulatory reference	Hygieniska gränsvärden (AFS 2015:7)

Difluoromethane (75-10-5)		
EU	IOELV TWA (mg/m <sup>3</sup> )	2200 (recommended)
EU	IOELV TWA (ppm)	1000 ppm (recommended)
Czech Republic	Expoziční limity (PEL) (mg/m <sup>3</sup> )	2000 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (PEL) (ppm)	940 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m <sup>3</sup> )	5000 mg/m <sup>3</sup>
Czech Republic	Expoziční limity (NPK-P) (ppm)	2350 ppm
Germany	TRGS 910 Acceptable concentration notes	

1,1,1,2-Tetrafluoroethane (811-97-2)		
Germany	TRGS 900 Local name	Norfluran
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	4200 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (ppm)	1000 ppm
Germany	TRGS 900 Limitation of exposure peaks (mg/m <sup>3</sup> )	33600 mg/m <sup>3</sup>
Germany	TRGS 900 Limitation of exposure peaks (ppm)	8000 ppm
Germany	TRGS 900 Limitation of exposure peaks	8(II)
Germany	TRGS 900 Remark	DFG;Y
Germany	TRGS 900 Regulatory reference	TRGS900
Germany	TRGS 910 Acceptable concentration notes	
Sweden	Local name	HFC 134 a (1,1,1,2-Tetrafluoretan)
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	2000 mg/m <sup>3</sup>
Sweden	nivågränsvärde (NVG) (ppm)	500 ppm
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	3000 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (ppm)	750 ppm
Sweden	Anmärkning (SE)	V (Vägledande korttidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)
Sweden	Regulatory reference	Hygieniska gränsvärden (AFS 2015:7)
United Kingdom	Local name	1,1,1,2-Tetrafluoroethane (HFC 134a)
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	4240 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	Regulatory reference	EH40. HSE
Switzerland	MAK (mg/m <sup>3</sup> )	4200 mg/m <sup>3</sup>
Switzerland	MAK (ppm)	1000 ppm

Pentafluoroethane (354-33-6)		
<b>DNEL/DMEL (Workers)</b>		
Long-term - systemic effects, inhalation		16444 mg/m <sup>3</sup>

# R-407C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Pentafluoroethane (354-33-6)	
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, inhalation	1753 mg/m <sup>3</sup>
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0.1 mg/l
PNEC aqua (intermittent, freshwater)	1 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	0.6 mg/kg dwt
<b>8.2. Exposure controls</b>	
<b>Hand protection:</b>	
Leather protective gloves. Nitrile-rubber protective gloves. VITON gloves	
<b>Eye protection:</b>	
Safety glasses with side shields	
<b>Skin and body protection:</b>	
Majority cotton protective clothing	
<b>Respiratory protection:</b>	
In the event of insufficient ventilation: Gas mask with filter type AX. In a confined area : Self-contained breathing apparatus	

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Liquefied gas.
Colour	: Colourless.
Odour	: slightly ethereal.
Odour threshold	: No data available
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: -43.8 °C
Flash point	: Not applicable
Critical temperature	: 86.05 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: 11.88 bar (25°C)
Vapour pressure at 50 °C	: 22.1 bar (50°C)
Critical pressure	: 46.3 bar
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.138 g/cm <sup>3</sup> (25°C)
Solubility	: Insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive material according to EC criteria.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

# R-407C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Decomposes on exposure to temperature rise.

#### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

No information available. No polymerization.

#### 10.4. Conditions to avoid

Avoid high temperatures. Avoid naked flame. Heating will cause a rise in pressure with a risk of bursting.

#### 10.5. Incompatible materials

Alkalis and caustic products. alkali metals. Alkaline earth metals. Finely divided metals (Al, Mg, Zn). Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

On thermal decomposition (pyrolysis), releases : Hydrogen fluoride, Carbon oxides (CO, CO<sub>2</sub>), Fluorinated hydrocarbons, Carbonyl halogenides.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

#### Pentafluoroethane (354-33-6)

LC50 inhalation rat (ppm)	800000 ppm/4h
---------------------------	---------------

#### Difluoromethane (75-10-5)

LC50 inhalation rat (ppm)	> 520000 ppm/4h
---------------------------	-----------------

#### 1,1,1,2-Tetrafluoroethane (811-97-2)

LC50 inhalation rat (ppm)	> 500000 ppm/4h
---------------------------	-----------------

Skin corrosion/irritation : Not classified  
pH: Not applicable

Additional information : Contact with the liquid causes frostbite

Serious eye damage/irritation : Not classified

pH: Not applicable

Additional information : Contact with the liquefied gas may cause severe ocular lesions

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

#### 1,1,1,2-Tetrafluoroethane (811-97-2)

NOAEL (chronic, oral, animal/male, 2 years)	300 mg/kg bodyweight rat
---	--------------------------

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

#### Difluoromethane (75-10-5)

NOAEC (inhalation, rat, gas, 90 days)	50000 ppmv/6h/day
---------------------------------------	-------------------

Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

#### Pentafluoroethane (354-33-6)

LC50 fish 1	> 100 mg/l 96 Hours (Oncorhynchus mykiss)
-------------	---

EC50 Daphnia 1	> 100 mg/l 48 Hours (Daphnia magna)
----------------	-------------------------------------

# R-407C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 72h algae (1)	> 114 mg/l 72 Hours (Pseudokirchneriella subcapitata)
--------------------	---

### 1,1,1,2-Tetrafluoroethane (811-97-2)

LC50 fish 1	450 mg/l 96 Hours (Oncorhynchus mykiss)
EC50 Daphnia 1	980 mg/l 48 Hours (Daphnia magna)
EC50 72h algae (1)	> 118 mg/l (Selenastrum capricornutum)

### 12.2. Persistence and degradability

#### Pentafluoroethane (354-33-6)

Persistence and degradability	5 % biodegradation after 28 days.
-------------------------------	-----------------------------------

### 1,1,1,2-Tetrafluoroethane (811-97-2)

Persistence and degradability	Photodegradation in the air : Half-life in air : 9,7 y. 3 % biodegradation after 28 days.
-------------------------------	---

### 12.3. Bioaccumulative potential

#### Pentafluoroethane (354-33-6)

Log Pow	1.48
---------	------

### Difluoromethane (75-10-5)

Log Pow	0.21
---------	------

### 1,1,1,2-Tetrafluoroethane (811-97-2)

Log Pow	1.06
---------	------

### 12.4. Mobility in soil

#### Pentafluoroethane (354-33-6)

Log Koc	1.3 - 1.7
---------	-----------

### 1,1,1,2-Tetrafluoroethane (811-97-2)

Log Koc	1.5
---------	-----

### 12.5. Results of PBT and vPvB assessment

#### Component

Pentafluoroethane (354-33-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
1,1,1,2-Tetrafluoroethane (811-97-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

Other adverse effects : Ozone depletion factor ODP (R-11=1) = 0. Total global warming potential (GWP) : 1774.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Switzerland : OTD : RS 814.600 / OMoD : RS 814.610.
Product/Packaging disposal recommendations	: Methods of disposal of packaging. Reuse or recycle following decontamination. Destroy at an authorised site.
Additional information	: The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

## SECTION 14: Transport information





In accordance with ADR / IATA / IMDG / RID

ADR	IMDG	IATA	RID
<b>14.1. UN number</b>			
UN 3340	UN 3340	UN 3340	UN 3340

# R-407C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name			
REFRIGERANT GAS R 407C	REFRIGERANT GAS R 407C	Refrigerant gas R 407c	REFRIGERANT GAS R 407C
Transport document description			
UN 3340 REFRIGERANT GAS R 407C, 2.2, (C/E)	UN 3340 REFRIGERANT GAS R 407C, 2.2	UN 3340 Refrigerant gas R 407c, 2.2	UN 3340 REFRIGERANT GAS R 407C, 2.2
14.3. Transport hazard class(es)			
2.2	2.2	2.2	2.2
			
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available			
14.6. Special precautions for user			

### Overland transport

Classification code (ADR) : 2A  
Special provisions (ADR) : 662  
Limited quantities (ADR) : 120ml  
Tank code (ADR) : PxBN(M)  
Transport category (ADR) : 3  
Hazard identification number (Kemler No.) : 20  
Orange plates :



Tunnel restriction code (ADR) : C/E  
EAC code : 2TE

### Transport by sea

EmS-No. (Fire) : F-C  
EmS-No. (Spillage) : S-V

### Air transport

PCA Limited quantities (IATA) : Forbidden  
PCA limited quantity max net quantity (IATA) : Forbidden  
PCA packing instructions (IATA) : 200  
PCA max net quantity (IATA) : 75kg  
CAO packing instructions (IATA) : 200  
CAO max net quantity (IATA) : 150kg

### Rail transport

Classification code (RID) : 2A  
Special provisions (RID) : 662  
Transport category (RID) : 3  
Colis express (express parcels) (RID) : CE3  
Hazard identification number (RID) : 20

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable



# R-407C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

Other information, restriction and prohibition regulations : \* Regulation (EC) No 517/2014 : Greenhouse fluorinated gas falling within Kyoto Protocol.

##### 15.1.2. National regulations

Ensure all national/local regulations are observed.

##### Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Switzerland

Swiss National Regulations : ORRChim RS 814.81.

#### 15.2. Chemical safety assessment

No additional information available

### SECTION 16: Other information

#### Indication of changes:

All chapters have been modified since the previous version.

Other information : For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

#### Full text of H- and EUH-statements:

Flam. Gas 1	Flammable gases, Category 1
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*