

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Reference number: 100450300 Revision date: 8/31/2023 Supersedes version of: 12/7/2020 Version: 8.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Name	: FRIONETT ACTIV' FOAM
UFI	: G610-R0D1-F00D-E0KY
Product code	: 100450300
Type of product	: Detergent, Disinfectant
Vaporizer	: Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture

: Active foam for small and medium refrigeration and air-conditioning systems cleaning

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Dehon Service SAS 26 Avenue du Petit Parc 94683 VINCENNES Cedex France T 01 43 98 75 00 - F 01 43 98 21 51 ContactFDS@climalife.dehon.com

#### Other

Climalife Supplied by Inventec Performance Chemicals Italia SRL Via del Lavoro, 10/G 20874 Busnago MB Italia T +39 39-5973480 - F +39 39-5973490 <u>ContactFDS@climalife.dehon.com</u>

#### Other

Dehon nordic service Östra Hamngatan 50B 3tr 41109 GÖTEBORG Sweden T 00 46 735 01 90 50 ContactFDS@climalife.dehon.com

#### Other

Dehon Service Nerderland B.V. Van Konijnenburgweg 84 NL-4612 PL Bergen Op Zoom Netherlands T 00 31 164 212 830 - F 00 31 164 212 831 <u>ContactFDS@climalife.dehon.com</u>

#### Other

IDS Refrigeration Limited 22 Apex Court, Woodlands, Bradley Stoke BS32 4JT Bristol United Kingdom T 00 44 1179 802520 - F 00 44 1179 802521 ContactFDS@climalife.dehon.com

#### Other

Climalife Hongrie Kft Villányi út 47 1118 Budaörs

8/31/2023 (Revision date)

Other Climalife Kft Budepesta sucurcala Bucuresti Romania Bulevardul Hristo Botev, Nr. 28, Biroul NR 4, Modulul I Bucuresti Sectorul 3 Romania ContactFDS@climalife.dehon.com

contactr DS@climalite.dend

#### Other

Dehon Kälte-Fachvertriebs GmbH Robert-Bosch-Strasse 14 40668 MEERBUSCH Germany T 00 49 2150 7073 0 - F 00 49 2150 7073 17 ContactFDS@climalife.dehon.com

#### Other

Dehon Service Belgium s.a/n.v. Avenue Carton de Wiart, 79 1090 Bruxelles Belgium T 00 32 2 421 01 70 - F 00 32 2 426 96 62 ContactFDS@climalife.dehon.com

#### Other

Friogas sa Poligono Industrial SEPES Parcela 10 46500 SAGUNTO (Valencia) Spain T 00 34 9 6 266 36 32 - F 00 34 9 6 266 50 25 ContactFDS@climalife.dehon.com

#### Other

Prochimac SA ZI Petits Champs 15 CH-1400 Yverdon-les-Bains Switzerland T 00 41 32 727 36 00 - F 00 41 32 727 36 19 ContactFDS@climalife.dehon.com

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Hungary

T (36) 23 431 660 - F (36) 23 431 661

# ContactFDS@climalife.dehon.com

### 1.4. Emergency telephone number

#### Emergency number

: +33 (0) 1 72 11 00 03

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229

Full text of hazard classes, H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes serious eye irritation.

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)	GHS02
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 - Do not spray on an open flame or other ignition source.</li> <li>P251 - Do not pierce or burn, even after use.</li> <li>P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.</li> <li>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F.</li> <li>P501 - Dispose of contents and container to hazardous or special waste collection point in accordance with national regulation.</li> </ul>
2.3. Other hazards	

#### Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

: Biocidal products.

Component	
Propane (74-98-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Isobutane (containing < 0,1 % 1,3-butadiene (203- 450-8)) (75-28-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

```
8/31/2023 (Revision date)
```

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Co	 -	-	-	-	-	4
L.O	n	n				т.
00		-		-		•

Propane(74-98-6)

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Butane (containing < 0,1 % 1,3-butadiene (203-450- 8)))	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-01-8 REACH-no: 01-211947691-32	0 – 10	Flam. Gas 1A, H220 Press. Gas (Liq.), H280
Propane	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944- 21	0 – 2.5	Flam. Gas 1A, H220 Press. Gas (Liq.), H280
Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides	CAS-No.: 68424-85-1 EC-No.: 270-325-2 REACH-no: 01-2119970550- 39	0 – 2.5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Isobutane (containing < 0,1 % 1,3-butadiene (203- 450-8))	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395- 27	0 – 2.5	Flam. Gas 1A, H220 Press. Gas (Liq.), H280

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Remove all contaminated clothing and footwear. Immediately rinse with plenty of water (for at least 15 minutes). If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	<ul> <li>Rinse mouth out with water. Do not induce vomiting. Immediately call a POISON CENTER/doctor. If possible show him this sheet. Failing this, show him the packaging or label.</li> </ul>
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects after eye contact	: Eye irritation.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 4.3. Indication of any immediate medical attention and special treatment needed

#### No additional information available

SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media Unsuitable extinguishing media	<ul> <li>Water spray. Dry powder. Foam. Carbon dioxide. Water with aqueous film forming foam additive.</li> <li>Strong water jet.</li> </ul>			
5.2. Special hazards arising from the substance or mixture				
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Extremely flammable aerosol.</li> <li>Pressurised container: May burst if heated.</li> <li>Toxic fumes may be released. Thermal decomposition generates : carbon oxides (CO and CO2).</li> </ul>			
5.3. Advice for firefighters				
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.			

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective e	quipment and emergency procedures	
General measures	: No flames, no sparks. Eliminate all sources of ignition. Ventilate area.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate area.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containm	ent and cleaning up	
Methods for cleaning up Other information	<ul><li>Take up liquid spill into absorbent material.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage	ge
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing vapours.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep container tightly closed. Keep cool.	
Packaging materials	: Store always product in container of same material as original container.	

7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Propane (74-98-6)		
EU - Indicative Occupational Exposure Limit (IOEL)		
OEL TWA 1800		
IOEL TWA [ppm]	1000 ppm	
Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	1450 mg/m³	
IOEL TWA [ppm]	600 ppm	
IOEL STEL	1810 mg/m³	
IOEL STEL [ppm]	750 ppm	
Butane (containing < 0,1 % 1,3-butadiene (203-450-8))) (106-97-8)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]         1450 mg/m³		
WEL TWA (OEL TWA) [2]	600 ppm	
WEL STEL (OEL STEL)	1810 mg/m³	
WEL STEL (OEL STEL) [ppm] 750 ppm		

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses with side shields. Use eye protection according to EN 166, designed to protect against liquid splashes.

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

#### Hand protection:

Nitrile-rubber protective gloves. Polyvinylalcohol (PVA)

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

(FFP1). EN 14387. Ensure adequate ventilation, especially in confined areas

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and che	mical properties	
Physical state	: Liquid	
Colour	: Colourless.	
Appearance	: Aerosol.	
Odour	: characteristic.	
Odour threshold	: Not available	
Melting point	: Not applicable	
Freezing point	: Not available	
Boiling point	: Not available	
Flammability	: Extremely flammable aerosol.	
Explosive properties	: Not explosive material according to EC criteria. Pressurised container: May burst if heated.	
Oxidising properties	: Non oxidizing material according to EC criteria.	
Lower explosion limit	: Not available	
Upper explosion limit	: Not available	
Flash point	: Not applicable	
Auto-ignition temperature	: Not available	
Decomposition temperature	: Not available	
рН	: Not applicable	
Viscosity, kinematic	: <7 mm²/s (40°C)	
Solubility	: In water, material soluble.	
Partition coefficient n-octanol/water (Log Kow)	: Not available	
Vapour pressure	: Not available	
Vapour pressure at 50°C	: Not available	
Density	: Not available	
Relative density	: <1	
Relative vapour density at 20°C	: Not available	
Particle characteristics	: Not applicable	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients

#### 9.2.2. Other safety characteristics

No additional information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition. Avoid contact with hot surfaces. Heat.

**10.5. Incompatible materials** 

No additional information available

**10.6. Hazardous decomposition products** 

Thermal decomposition may produce : carbon oxides (CO and CO2), Nitrogen oxides.

<b>11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2</b> Acute toxicity (oral)       : Not classified         Acute toxicity (dermal)       : Not classified         Acute toxicity (inhalation)       : Not classified         Propane (74-98-6)	2008	
Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified Propane (74-98-6)		
LC50 Inhalation - Rat [ppm] > 800000 ppm		
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)		
LD50 oral rat 397.5 mg/kg		
LD50 dermal rabbit > 3412 mg/kg		
Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)		
LC50 Inhalation - Rat 658 mg/l/4h		
Skin corrosion/irritation : Not classified pH: Not applicable		
Serious eye damage/irritation : Not classified pH: Not applicable		
Respiratory or skin sensitisation : Not classified		
Germ cell mutagenicity : Not classified		
Carcinogenicity : Not classified		
Reproductive toxicity : Not classified		
STOT-single exposure : Not classified		
STOT-repeated exposure : Not classified		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Propane (74-98-6)		
LOAEC (inhalation, rat, gas, 90 days)	21.641 mg/l	
NOAEC (inhalation, rat, gas, 90 days)	7.241 mg/l	
Aspiration hazard :	Not classified	
FRIONETT ACTIV' FOAM		
Vaporizer	Aerosol	
Viscosity, kinematic	< 7 mm²/s (40°C)	
Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)		
Viscosity, kinematic	269.643 mm²/s	
11.2. Information on other hazards		

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### 11.2.2. Other information

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term : (acute)	No information available. Do not discharge into drains or the environment. Not classified Not classified
Quaternary ammonium compounds, benzyl-C	12-16-alkyldimethyl, chlorides (68424-85-1)
LC50 - Fish [1]	0.85 mg/l Oncorhynchus mykiss
EC50 - Crustacea [1]	0.016 mg/l (Daphnia magna)
EC50 72h - Algae [1]	0.0025 mg/l (Selenastrum capricornutum)
EC50 72h - Algae [2]	0.03 mg/l
ErC50 algae	> 0.01 mg/l
NOEC chronic fish	0.032 mg/l
NOEC chronic crustacea	0.0042 mg/l
NOEC chronic algae	0.009 mg/l
12.2. Persistence and degradability	

Propane (74-98-6)		
Persistence and degradability         < 60 % biodegradation after 28 days.		
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)		
BOD (% of ThOD) > 60 % ThOD		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Persistence and degradability	< 60 % biodegradation after 28 days.	
12.3. Bioaccumulative potential		
Propane (74-98-6)		
Partition coefficient n-octanol/water (Log Kow)	≥ 1.815	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)		
Partition coefficient n-octanol/water (Log Kow)	2.88	
Isobutane (containing < 0,1 % 1,3-butadiene (203-450-8)) (75-28-5)		
Partition coefficient n-octanol/water (Log Kow)	2.88	

12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

Component		
Propane (74-98-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Isobutane (containing < 0,1 % 1,3-butadiene (203- 450-8)) (75-28-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
12.6. Endocrine disrupting properties		
Adverse effects on the environment caused by endocrine disrupting properties	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.	

# 12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	;
13.1. Waste treatment methods	
Waste treatment methods	: Following use, do not pierce or burn the packaging, even if it is empty. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations Ecology - waste materials	<ul> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Do not discharge into drains or the environment.</li> </ul>

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA		
IMDG	ΙΑΤΑ	
14.1. UN number or ID number		
UN 1950	UN 1950	
14.2. UN proper shipping name		
AEROSOLS	Aerosols, flammable	
n	IMDG nber UN 1950 name	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	
Transport document descr	iption		
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	
14.3. Transport hazard of	class(es)		
2.1	2.1	2.1	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	
No supplementary information	on available	·	
14.6. Special precaution	s for user		

# Overland transport

Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Transport category (ADR)	: 2
Tunnel restriction code (ADR)	: D
Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Segregation (IMDG)	: SG69
Air transport	
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Other information, restriction and prohibition	: Regulation (EU) No 528/2012 concerning the making available on the market and use of
regulations	biocidal products. Contains : ALKYL DIMETHYL BENZYL AMMONIUM CHLORIDE (CAS
	68424-85-1) : 1.98 g/l (TP02 - TP04).

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Detergent Regulation (648/2004)**

Labelling of contents		
Component	%	
aliphatic hydrocarbons	5-15%	
non-ionic surfactants	<5%	

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

#### Indication of changes:

All chapters have been modified since the previous version.

Indication of changes				
Section	Changed item	Change	Comments	
	% of flammable ingredients			

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aerosol 1	Aerosol, Category 1	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Gas 1A	Flammable gases, Category 1A	
H220	Extremely flammable gas.	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.