

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Name	: R-290 (PROPANE) - AHRI
Chemical name	: Propane
EC Index-No.	: 601-003-00-5
EC-No.	: 200-827-9
CAS-No.	: 74-98-6
REACH registration No.	: 01-2119486944-21
Product code	: 100005800
Formula	: C3H8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture	: Refrigerant Foam blowing agent
------------------------------	-------------------------------------

Title	Use descriptors
Refrigerant gas Use of gas as to refill refrigeration equipment	SU3, SU22, PC16, PROC8, ERC7

Full text of use descriptors: see section 16

1.3. Details of the supplier of the safety data sheet

Supplier

Dehon Service SAS
26 Avenue du Petit Parc
FR-94683 VINCENNES Cedex
France
T 00 33 1 43 98 75 00
ContactFDS@climalife.dehon.com

Other

Climalife Kft Budepesta sucursală Bucuresti Romania
Strada Teodosie Rudeanu, Nr. 49A
Biroul NR 4, Modulul I
RO-011247 Bucuresti Sector 1
Romania
T 00 44 1179 802520
ContactFDS@climalife.dehon.com

Other

Dehon Kälte-Fachvertriebs GmbH
Robert-Bosch-Strasse 14
40668 MEERBUSCH
Germany
T 00 49 2150 7073 0
ContactFDS@climalife.dehon.com

Other

Dehon Service Belgium s.a/n.v.
Avenue Carton de Wiart, 79
BE-1090 Bruxelles
Belgium
T 00 32 2 421 01 70
ContactFDS@climalife.dehon.com

Other

Friogas sa
Poligono Industrial SEPES

Other

Climalife Kft.
Villányi út 47
1118 Budapest
Hungary
T (36) 23 431 660
ContactFDS@climalife.dehon.com

Other

Climalife Italia S.r.l
Uffici : Piazza della Pace, 1, I-23875 Osnago (LC)
Viale Delle Industrie 57
IT-20881 Bernareggio (MB)
Italia
T 00 39 39 5973480, F
ContactFDS@climalife.dehon.com

Other

Dehon nordic service
Östra Hamngatan 50B 3tr
SE-41109 GÖTEBORG
Sweden
T 00 46 44 21 58 80
ContactFDS@climalife.dehon.com

Other

Dehon Service Nederland B.V.
Van Konijnenburgweg 84
NL-4612 PL Bergen Op Zoom
Netherlands
T 00 31 164 212 830
ContactFDS@climalife.dehon.com

Other

IDS Refrigeration Limited
Green Court, Kings Weston Lane

R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Parcela 10
46500 SAGUNTO (Valencia)
Spain
T 00 34 9 6 266 36 32
ContactFDS@climalife.dehon.com

Other

Prochimac SA
ZI. Rue des Petits-Champs 15
CH-1400 Yverdon-les-Bains
Switzerland
T 00 41 32 727 36 00, F 00 41 32 727 36 19
ContactFDS@climalife.dehon.com

Other

Climalife Asia Corporation
1-2F/ Building 6 No.
185 Yuanke Road
CN-201108 Shanghai
China
T +86 21 6442 3972
ContactFDS@climalife.dehon.com

Other

Teknalys Middle East FZCO
B34BS33O203, Jebel Ali Free Zone
Dubai - AE
United Arab Emirates
T 00 65 97 12 43 38
ContactFDS@climalife.dehon.com

Avonmouth
UK-BS11 8AZ Bristol
United Kingdom
T 00 44 1179 802520
ContactFDS@climalife.dehon.com

Other

Galco s.a/n.v.
Avenue Carton de Wiart, 79
BE-1090 BRUSSELS
Belgium
T 00 32 2 421 01 84
ContactFDS@climalife.dehon.com

Other

Galco Singapore Branch
135 Cecil Street #10-01
SG-69536 Singapore
T 00 971 56 105 15 47
ContactFDS@climalife.dehon.com

1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

Country/Area	Organisation	Emergency number
Ireland	National Poisons Information Centre. Beaumont Hospital. PO Box 1297. Beaumont Road 9 Dublin.	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)
United Kingdom	National Poisons Information Service (Birmingham Centre). City Hospital. Dudley Road B18 7QH.	0344 892 0111 Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Gas 1A H220
Press. Gas (Liq.) H280
Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Contact with the liquid may cause frostbite and serious damage to eyes.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	GHS02
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H220 - Extremely flammable gas. H280 - Contains gas under pressure; may explode if heated.
Precautionary statements (CLP)	: P210 - Keep away from heat, sparks, hot surfaces, open flames. – No smoking. P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381 - In case of leakage, eliminate all ignition sources. P403 - Store in a well-ventilated place.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Propane (74-98-6), Isobutane (75-28-5), n-Butane (106-97-8)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Propane (74-98-6), Isobutane (75-28-5), n-Butane (106-97-8)

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	: R-290 (PROPANE) - AHRI
CAS-No.	: 74-98-6
EC-No.	: 200-827-9
EC Index-No.	: 601-003-00-5

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propane	CAS-No.: 74-98-6 EC-No.: 200-827-9 EC Index-No.: 601-003-00-5 REACH-no: 01-2119486944-21	≥ 99.5	Flam. Gas 1A, H220 Press. Gas (Liq.), H280
Isobutane (Impurity)	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395-27	< 0.5	Flam. Gas 1A, H220 Press. Gas (Liq.), H280
n-Butane (Impurity)	CAS-No.: 106-97-8 EC-No.: 203-448-7 EC Index-No.: 601-004-00-0 REACH-no: 01-2119474691-32	< 0.5	Flam. Gas 1A, H220 Press. Gas (Liq.), H280

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If you feel unwell, seek medical advice.
-------------------------------------	---

R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after skin contact	: In the event of contact with the liquid: treat resulting frostbite as a burn. Rinse with plenty of water. Do not remove clothing (since it may stick to the skin). If skin burns appear, call a doctor immediately.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Consult an eye specialist immediately.
First-aid measures after ingestion	: Not specifically applicable (gas).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Contains refrigerated gas; may cause cryogenic burns or injury. anoxia (asphyxia). Disturbances of consciousness. Lack of oxygen: risk of death.
------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Extremely flammable gas. Heating will cause a rise in pressure with a risk of bursting. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Hazardous gas/vapours are formed in the event of decomposition (see section 10).
-------------	---

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Do not attempt to take action without suitable protective equipment. Avoid contact with skin and eyes. Do not breathe smoke. Do not smoke. Evacuate personnel to a safe area. Ventilate spillage area. Stop leak without risks if possible.
------------------	---

6.2. Environmental precautions

Product evaporates rapidly when in contact with the air. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Other information	: Mechanically ventilate the spillage area.
-------------------	---

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Use non-sparking tools. Avoid the build-up of electrostatic charge.
Hygiene measures	: Do not drink, eat or smoke in the workplace.

R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container tight closed. Store : in a cool, well-ventilated area.
Incompatible products	: Oxidizing agent. Strong acids. alkali metals.
Packaging materials	: Original packaging.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

R-290 (PROPANE) - AHRI (74-98-6)	
Ireland - Occupational Exposure Limits	
Local name	Aliphatic hydrocarbon gases Alkanes (C1-C3): Propane
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values), Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)
Regulatory reference	Chemical Agents Code of Practice 2024
Propane (74-98-6)	
Ireland - Occupational Exposure Limits	
Local name	Aliphatic hydrocarbon gases Alkanes (C1-C3): Propane
OEL TWA	1000 ppm
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values), Asphx. (Gaseous chemical substances which may not produce significant physiological effects in the exposed employee, but when present in high concentrations will act as simple asphyxiants)
Regulatory reference	Chemical Agents Code of Practice 2024
Isobutane (75-28-5)	
Ireland - Occupational Exposure Limits	
Local name	Butane, all isomers: Isobutane
OEL STEL	1000 ppm
Regulatory reference	Chemical Agents Code of Practice 2021
n-Butane (106-97-8)	
Ireland - Occupational Exposure Limits	
Local name	Butane
OEL TWA	1000 ppm
OEL STEL	1000 ppm
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	Butane
WEL TWA (OEL TWA)	1450 mg/m ³
	600 ppm

R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

n-Butane (106-97-8)	
WEL STEL (OEL STEL)	1810 mg/m³
	750 ppm
Remark	Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51), (only applies if Butane contains more than 0.1% of buta-1,3-diene)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.2. Exposure controls

Personal protection equipment

Eye and face protection

Eye protection:

Safety glasses with side shields

Skin protection

Skin and body protection:

Majority cotton protective clothing

Hand protection:

Leather protective gloves. Nitrile-rubber protective gloves. VITON gloves

Respiratory protection

Respiratory protection:

In the event of insufficient ventilation: Gas mask with filter type AX. In a confined area : Self-contained breathing apparatus

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Colour	: Colourless.
Appearance	: Press. Gas (Liq.).
Molecular mass	: 44.1 g/mol
Odour	: slightly ethereal.
Odour threshold	: Not available
Melting point	: -187.62 °C
Freezing point	: Not applicable
Boiling point	: -42.12 °C
Flammability	: Extremely flammable gas.
Explosive properties	: Not explosive material according to EC criteria.
Oxidising properties	: Non oxidizing material according to EC criteria.
Lower explosion limit	: 2.2 Vol-%
Upper explosion limit	: 9.5 Vol-%
Flash point	: -104 °C
Auto-ignition temperature	: 450 °C
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: < 0.001 Pa·s Liquid
Solubility	: Poorly soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: 2.3
Vapour pressure	: 7.3 bar (20°C)
Vapour pressure at 50°C	: Not available
Critical pressure	: 42.51 bar
Density	: Not applicable
Relative density	: 0.51 (20°C)
Relative vapour density at 20°C	: 1.81
Particle characteristics	: Not applicable

R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

9.2. Other information

Information with regard to physical hazard classes

Critical temperature : 96.7 °C

Other safety characteristics

VOC content : 100 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous polymerization.

10.4. Conditions to avoid

Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Container under pressure. Do not drill or burn even after use. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

React in contact of alkali metals, Light metals. zinc. Magnesium. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Hydrogen fluoride. Carbonyl halogenides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Propane (74-98-6)	
LC50 Inhalation - Rat [ppm]	> 800000 ppm
Isobutane (75-28-5)	
LC50 Inhalation - Rat	658 mg/l/4h
n-Butane (106-97-8)	
LC50 Inhalation - Rat	658 mg/l/4h
LC50 Inhalation - Rat [ppm]	274200 ppm

Skin corrosion/irritation : Not classified

pH: Not applicable

Additional information : Contact with the liquid causes frostbite

Serious eye damage/irritation : Not classified

pH: Not applicable

Additional information : Contact with the liquefied gas may cause severe ocular lesions

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Propane (74-98-6)

LOAEC (inhalation, rat, gas, 90 days) 21.641 mg/l

NOAEC (inhalation, rat, gas, 90 days) 7.241 mg/l

n-Butane (106-97-8)

NOAEC (inhalation, rat, 28 days) 21.394 mg/l (Rat (Female, Male), inhalation (Gas), daily)

Aspiration hazard : Not applicable

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

n-Butane (106-97-8)

LC50 - Fish [1] 27.98 mg/l (Fish, minnows)

EC50 96h - Algae [1] 7.71 mg/l (algae)

12.2. Persistence and degradability

R-290 (PROPANE) - AHRI (74-98-6)

Persistence and degradability Not established.

Propane (74-98-6)

Persistence and degradability < 60 % biodegradation after 28 days.

Isobutane (75-28-5)

Persistence and degradability < 60 % biodegradation after 28 days.

n-Butane (106-97-8)

Persistence and degradability <60 % biodegradation après 28 jours.

12.3. Bioaccumulative potential

R-290 (PROPANE) - AHRI (74-98-6)

Partition coefficient n-octanol/water (Log Pow) 2.3

Propane (74-98-6)

Partition coefficient n-octanol/water (Log Kow) ≥ 1.815

R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

n-Butane (106-97-8)

Partition coefficient n-octanol/water (Log Kow)	≥ 2.89
---	--------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Propane (74-98-6), Isobutane (75-28-5), n-Butane (106-97-8)
--	---

Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Propane (74-98-6), Isobutane (75-28-5), n-Butane (106-97-8)
---	---

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties	: The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
--	--

12.7. Other adverse effects

Other adverse effects	: ODP (R-11=1)=0.
-----------------------	-------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Methods of disposal of packaging. Reuse or recycle following decontamination. Destroy at an authorised site.
Additional information	: The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal. Refer to manufacturer or supplier for information on recovery or recycling.
Ecological waste information	: Must not be discharged to atmosphere. Refer to manufacturer or supplier for information on recovery or recycling.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 1978	UN 1978	UN 1978
14.2. UN proper shipping name		
PROPANE	PROPANE	Propane
Transport document description		
UN 1978 PROPANE, 2.1, (B/D)	UN 1978 PROPANE, 2.1	UN 1978 Propane, 2.1
14.3. Transport hazard class(es)		
2.1	2.1	2.1
		

R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No EmS-No. (Fire): F-D EmS-No. (Spillage): S-U	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: 2F
Special provisions (ADR)	: 392, 652, 657, 662, 674
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P200
Mixed packing provisions (ADR)	: MP9
Portable tank and bulk container instructions (ADR)	: (M), T50
Tank code (ADR)	: PxBN(M)
Tank special provisions (ADR)	: TA4, TT9
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV10, CV36
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 23
Orange plates	:



Tunnel restriction code (ADR)	: B/D
EAC code	: 2YE

Transport by sea

Packing instructions (IMDG)	: P200
Tank instructions (IMDG)	: T50
Stowage category (IMDG)	: E
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Flammable hydrocarbon gas. Explosive limits: 2.3% to 9.5%. Heavier than air (1.56).

Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 200
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A1
ERG code (IATA)	: 10L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 100 %

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

Ensure all national/local regulations are observed.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Issue date	Removed
1.2	Use of the substance/mixture	Added
3	Composition/information on ingredients	Modified
15.1	REACH Annex XVII	Removed
16	Indication of changes	Removed

Other information : For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

Full text of H- and EUH-statements:

Flam. Gas 1A	Flammable gases, Category 1A
--------------	------------------------------

R-290 (PROPANE) - AHRI

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:

Press. Gas (Liq.)	Gases under pressure : Liquefied gas
H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.

Full text of use descriptors

ERC7	Use of functional fluid at industrial site
PC16	Heat Transfer Fluids
PROC8	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities - Industrial or non-industrial setting;
SU22	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
SU3	Industrial uses: Uses of substances as such or in preparations at industrial sites

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.