

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Reference number: 100045600 Issue date: 4/24/2023 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

# Product form

Name

Product code

- : Mixture
  - : R-456A
  - : 100045600

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture

: Refrigerant

Other

Climalife Hongrie Kft

Via del Lavoro, 10/G

20874 Busnago MB

Dehon nordic service

41109 GÖTEBORG

T 00 46 735 01 90 50

Östra Hamngatan 50B 3tr

ContactFDS@climalife.dehon.com

ContactFDS@climalife.dehon.com

T 00 31 164 212 830 - F 00 31 164 212 831

22 Apex Court, Woodlands, Bradley Stoke

Dehon Service Nerderland B.V.

Van Konijnenburgweg 84 NL-4612 PL Bergen Op Zoom

**IDS Refrigeration Limited** 

BS32 4JT Bristol

United Kingdom

T (36) 23 431 660 - F (36) 23 431 661

T +39 39-5973480 - F +39 39-5973490 ContactFDS@climalife.dehon.com

Climalife Supplied by Inventec Performance Chemicals Italia SRL

ContactFDS@climalife.dehon.com

Villányi út 47

Hungarv

Other

Italia

Other

Sweden

Other

Other

Netherlands

1118 Budaörs

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Dehon Service SAS 26 Avenue du Petit Parc 94683 VINCENNES Cedex France T 01 43 98 75 00 - F 01 43 98 21 51

ContactFDS@climalife.dehon.com

#### Other

Climalife Kft Budepesta sucurcala Bucuresti Romania Bulevardul Hristo Botev, Nr. 28, Biroul NR 4, Modulul I Bucuresti Sectorul 3 Romania <u>ContactFDS@climalife.dehon.com</u>

#### Other

Dehon Kälte-Fachvertriebs GmbH Robert-Bosch-Strasse 14 40668 MEERBUSCH Germany T 00 49 2150 7073 0 - F 00 49 2150 7073 17 ContactFDS@climalife.dehon.com

#### Other

Dehon Service Belgium s.a/n.v. Avenue Carton de Wiart, 79 1090 Bruxelles Belgium T 00 32 2 421 01 70 - F 00 32 2 426 96 62 ContactFDS@climalife.dehon.com

## Other

Friogas sa Poligono Industrial SEPES Parcela 10 46500 SAGUNTO (Valencia) Spain T 00 34 9 6 266 36 32 - F 00 34 9 6 266 50 25 ContactFDS@climalife.dehon.com

#### Other

Prochimac SA ZI Petits Champs 15 CH-1400 Yverdon-les-Bains Switzerland T 00 41 32 727 36 00 - F 00 41 32 727 36 19 ContactFDS@climalife.dehon.com

4/24/2023 (Issue date)

# T 00 44 1179 802520 - F 00 44 1179 802521

ContactFDS@climalife.dehon.com
Other

Climalife Asia Corporation Room 302-A82,No.3,Building 1509,Xin Zhen Road, 201101 Shanghai – Minhang District China T +86 21 6442 3972 - F +86 21 6442 3952 <u>ContactFDS@climalife.dehon.com</u>

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 1.4. Emergency telephone number

#### Emergency number

: +33 (0) 1 72 11 00 03

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Press. Gas (Liq.)

Full text of hazard classes, H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Contact with the liquid may cause frostbite and serious damage to eyes.

H280

2.2. Label elements
Labelling according to Regulation (EC) No. 1272/2008 ICLP1

Labeling according to Regulation (EC)	
Hazard pictograms (CLP)	
	GHS04
Signal word (CLP)	: Warning
Hazard statements (CLP)	: H280 - Contains gas under pressure; may explode if heated.
Precautionary statements (CLP)	: P403 - Store in a well-ventilated place.
Extra phrases	: Greenhouse fluorinated gas falling within Kyoto Protocol (GWP=687).

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
1,1,1,2-Tetrafluoroethane (811-97-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Trans-1,3,3,3-Tetrafluoroprop-1-ene	CAS-No.: 29118-24-9 EC-No.: 471-480-0 REACH-no: 01-0000019758- 54	49	Press. Gas (Liq.), H280
1,1,1,2-Tetrafluoroethane	CAS-No.: 811-97-2 EC-No.: 212-377-0 REACH-no: 01-2119459374- 33	45	Press. Gas (Liq.), H280
Difluoromethane	CAS-No.: 75-10-5 EC-No.: 200-839-4 REACH-no: 01-2119471312- 47	6	Flam. Gas 1B, H221 Press. Gas (Liq.), H280

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If you feel unwell, seek medical advice.
First-aid measures after skin contact	In the event of contact with the liquid: treat resulting frostbite as a burn. Immediately remove contaminated clothing or footwear. Immediately rinse with plenty of water. If skin burns appear, call a doctor immediately.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Consult an eye specialist immediately.
First-aid measures after ingestion	: Not specifically applicable (gas).
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects	: CNS depression. Narcosis. Cardiac disorders. Lack of oxygen: risk of death.
4.3. Indication of any immediate medi	ical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measure	S

5.1. Extinguishing media	
5 5	All extinguishing agents can be used. None to our knowledge. If there is a fire close by, use suitable extinguishing agents.
5.2. Special hazards arising from the substan	nce or mixture
Explosion hazard :	pressure rise and possible bursting of container. On heating : Toxic and corrosive vapours are released.
5.3. Advice for firefighters	
	Use water spray or fog for cooling exposed containers. Self-contained breathing apparatus. Complete protective clothing.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measure	s
6.1. Personal precautions, protective equipm	ent and emergency procedures
General measures :	Avoid contact with skin and eyes. Remove all sources of ignition. Do not smoke. Evacuate the danger area. Do not breathe smoke. Stop the leak.
6.1.1. For non-emergency personnel	
No additional information available	
6.1.2. For emergency responders	
No additional information available	
6.2. Environmental precautions	
No additional information available	
6.3. Methods and material for containment an	nd cleaning up
Other information :	Mechanically ventilate the spillage area.
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid breathing mist, vapours. Do not get in eyes, on skin, or on clothing. Ventilation. Vapours are heavier than air and may spread along floors. Under certain temperature and pressure conditions may form a flammable mixture in the presence of air.
Hygiene measures	: Do not drink, eat or smoke in the workplace.
7.2. Conditions for safe storage, includin	g any incompatibilities
Storage conditions	: Store : in a cool, well-ventilated area, away from any source of heat, away from any source of ignition.
Incompatible materials	: Strong oxidizing agents. Alkaline hydroxide. Alkaline earth metals. Finely divided metals (Al, Mg, Zn).
Packaging materials	: Recommended materials Stainless steel, Carbon steel. Do not use : Alloys containing more than 2% magnesium, Plastic materials.
7.3. Specific end use(s)	

No additional information available

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

1,1,1,2-Tetrafluoroethane (811-97-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	4240 mg/m³
IOEL TWA [ppm]	1000 ppm
United Kingdom - Occupational Exposure Limits	
Local name	1,1,1,2-Tetrafluoroethane (HFC 134a)
WEL TWA (OEL TWA) [1]	4240 mg/m³

4/24/2023 (Issue date)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

1,1,1,2-Tetrafluoroethane (811-97-2)	
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Difluoromethane (75-10-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	)
IOEL TWA	2200 (recommended)
IOEL TWA [ppm]	1000 ppm (recommended)
Trans-1,3,3,3-Tetrafluoroprop-1-ene (29118-24	l-9)
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA [ppm]	500 ppm (recommended)
<ul> <li>8.1.2. Recommended monitoring procedures</li> <li>No additional information available</li> <li>8.1.3. Air contaminants formed</li> <li>No additional information available</li> <li>8.1.4. DNEL and PNEC</li> </ul>	
1,1,1,2-Tetrafluoroethane (811-97-2)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	13936 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	2476 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.1 mg/l
PNEC aqua (marine water)	0.01 mg/l
PNEC (Sediment)	·
PNEC sediment (freshwater)	0.75 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	73 mg/l
8.1.5. Control banding No additional information available	

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses with side shields

# 8.2.2.2. Skin protection

#### Skin and body protection:

Majority cotton protective clothing

#### Hand protection:

Leather protective gloves. Nitrile-rubber protective gloves. VITON gloves

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

In the event of insufficient ventilation: Gas mask with filter type AX. In a confined area : Self-contained breathing apparatus

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

9.1. Information on basic physical and ch	iemical properties
Physical state	: Gas
Colour	: Colourless.
Appearance	: Press. Gas (Liq.).
Molecular mass	: 101.4 g/mol
Odour	: slightly ethereal.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not applicable
Boiling point	: -30.8 °C
Flammability	: Non flammable.
Explosive properties	: Not explosive material according to EC criteria.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: None
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: Not applicable
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 7.36 bar (25°C)
Vapour pressure at 50°C	: 14.1 bar
Critical pressure	: 41.75 bar
Density	: 1164 g/cm³ (25°C)
Relative density	: Not applicable
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

Critical temperature

: 102.66 °C

#### 9.2.2. Other safety characteristics

No additional information available

<b>SECTION 10: Stability and</b>	reactivity
----------------------------------	------------

## 10.1. Reactivity

Decomposes on exposure to temperature rise.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

No information available. No polymerization.

### **10.4. Conditions to avoid**

Avoid high temperatures. Avoid naked flame. Heating will cause a rise in pressure with a risk of bursting.

#### **10.5. Incompatible materials**

Alkalis and caustic products. alkali metals. Alkaline earth metals. Finely divided metals (Al, Mg, Zn). Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

On thermal decomposition (pyrolysis), releases : Hydrogen fluoride, Carbon oxides (CO, CO2), Fluorinated hydrocarbons, Carbonyl halogenides.

## **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defi	ned in Regulation (EC) No 1272/2008
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified
1,1,1,2-Tetrafluoroethane (811-97-2)	
LC50 Inhalation - Rat [ppm]	> 500000 ppm/4h
Difluoromethane (75-10-5)	
LC50 Inhalation - Rat [ppm]	> 520000 ppm/4h
Trans-1,3,3,3-Tetrafluoroprop-1-ene (29118	-24-9)
LC50 Inhalation - Rat [ppm]	> 207000 ppm/4h
Skin corrosion/irritation	: Not classified
Additional information	pH: Not applicable : Contact with the liquid causes frostbite
1,1,1,2-Tetrafluoroethane (811-97-2)	
pH	Not applicable
·	
Serious eye damage/irritation	: Not classified pH: Not applicable
Additional information	: Contact with the liquefied gas may cause severe ocular lesions
1,1,1,2-Tetrafluoroethane (811-97-2)	
рН	Not applicable
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
1,1,1,2-Tetrafluoroethane (811-97-2)	
NOAEL (chronic, oral, animal/male, 2 years)	300 mg/kg bodyweight rat
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Difluoromethane (75-10-5)	
NOAEC (inhalation, rat, gas, 90 days)	50000 ppmv/6h/day
Trans-1,3,3,3-Tetrafluoroprop-1-ene (29118	-24-9)
NOAEC (inhalation, rat, gas, 90 days)	5000 ppmv/6h/day
Aspiration hazard	: Not classified

4/24/2023 (Issue date)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# 11.2. Information on other hazards

## No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short–term : (acute)	Not classified Not classified
1,1,1,2-Tetrafluoroethane (811-97-2)	
LC50 - Fish [1]	450 mg/l 96 Hours (Oncorhynchus mykiss)
EC50 - Crustacea [1]	980 mg/l 48 Hours (Daphnia magna)
EC50 72h - Algae [1]	> 118 mg/l (Selenastrum capricornutum)
Trans-1,3,3,3-Tetrafluoroprop-1-ene (29118-24	4-9)
LC50 - Fish [1]	> 117 mg/l (96 Hours)
EC50 - Crustacea [1]	> 160 mg/l 48 Hours (Daphnia magna)
NOEC chronic crustacea	> 160 mg/l (48h)
NOEC chronic algae	> 170 mg/l (72h)
12.2. Persistence and degradability	
1,1,1,2-Tetrafluoroethane (811-97-2)	
Persistence and degradability	Photodegradation in the air : Half-life in air : 9,7 y. 3 % biodegradation after 28 days.
Trans-1,3,3,3-Tetrafluoroprop-1-ene (29118-24	4-9)
Persistence and degradability	Not readily biodegradable.
12.3. Bioaccumulative potential	
1,1,1,2-Tetrafluoroethane (811-97-2)	
Partition coefficient n-octanol/water (Log Pow)	1.06
Difluoromethane (75-10-5)	1
Partition coefficient n-octanol/water (Log Pow)	0.21
Trans-1,3,3,3-Tetrafluoroprop-1-ene (29118-24	4-9)
Partition coefficient n-octanol/water (Log Pow)	1.6
12.4. Mobility in soil	
1,1,1,2-Tetrafluoroethane (811-97-2)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.5
12.5. Results of PBT and vPvB assessment	
Component	
1,1,1,2-Tetrafluoroethane (811-97-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	: Global warming potential (GWP) 687
SECTION 13: Disposal consideration	5

13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Methods of disposal of packaging. Reuse or recycle following decontamination. Destroy at an authorised site.
Additional information	The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

accordance with ADR / IME	DG / IATA	
ADR	IMDG	ΙΑΤΑ
14.1. UN number or ID n	umber	
UN 3163	UN 3163	UN 3163
I4.2. UN proper shippin	g name	
LIQUEFIED GAS, N.O.S. (Trans-1,3,3,3- Tetrafluoroprop-1-ene; 1,1,1,2-Tetrafluoroethane; Difluoromethane)	LIQUEFIED GAS, N.O.S. (Trans-1,3,3,3- Tetrafluoroprop-1-ene ; 1,1,1,2-Tetrafluoroethane ; Difluoromethane)	Liquefied gas, n.o.s. (Trans-1,3,3,3-Tetrafluoroprop-1-ene ; 1,1,1,2-Tetrafluoroethane Difluoromethane)
Fransport document descr	iption	
UN 3163 LIQUEFIED GAS, N.O.S. (Trans-1,3,3,3- Tetrafluoroprop-1-ene ; 1,1,1,2-Tetrafluoroethane ; Difluoromethane), 2.2, (C/E)	UN 3163 LIQUEFIED GAS, N.O.S. (Trans-1,3,3,3- Tetrafluoroprop-1-ene ; 1,1,1,2-Tetrafluoroethane ; Difluoromethane), 2.2	UN 3163 Liquefied gas, n.o.s. (Trans-1,3,3,3-Tetrafluoroprop-1-ene ; 1,1,1,2- Tetrafluoroethane ; Difluoromethane), 2.2
14.3. Transport hazard o	class(es)	
2.2	2.2	2.2
2		2
14.4. Packing group		
Not applicable	Not applicable	Not applicable
4.5. Environmental haz	ards	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 14.6. Special precautions for user

Overland transport	
Classification code (ADR)	: 2A
Special provisions (ADR)	: 274, 392, 662
Limited quantities (ADR)	: 120ml
Tank code (ADR)	: PxBN(M)
Transport category (ADR)	: 3
Hazard identification number (Kemler No.)	: 20
Orange plates	20
	3163
Tunnel restriction code (ADR)	: C/E
EAC code	: 2TE
Transport by sea	
Special provisions (IMDG)	: 274, 392
Limited quantities (IMDG)	: 120 ml
EmS-No. (Fire)	: F-C
EmS-No. (Spillage)	: S-V
Air transport	
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 200
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 200
CAO max net quantity (IATA)	: 150kg

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Other information, restriction and prohibition : \* Regulation (EC) No 517/2014 : Greenhouse fluorinated gas falling within Kyoto Protocol. regulations

## **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

# **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

# POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

## Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

4/24/2023 (Issue date)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

Ensure all national/local regulations are observed.

15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

Other information

: For more information regarding the use of this product, please refer to our technical information or contact the sales department in your region.

Full text of H- and EUH-statements:	
Flam. Gas 1B	Flammable gases, Category 1B
H221	Flammable gas.
H280	Contains gas under pressure; may explode if heated.
Press. Gas (Liq.)	Gases under pressure : Liquefied gas

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.